ASTHETIC TOWNSHIP DEVELOPERS PRIVATE LIMITED

Reg. Office- 262, DDA OFFICE COMPLEX, JHANDEWALA EXT., NEW DELHI - 110055

Date: 01/12/2020

Letter Ref. No. APL/P/20/023

To,
The Director,
Northern Regional Office (MoEF&CC),
Bays No. 24 -25, Sector- 31-A,
Dakshin Marg,
Chandigarh - 160030

Subject: Submission of six-monthly Compliance report of **December-2020** for the Commercial Colony admeasuring 2.851 acres, Sector-27, Gurugram, Haryana with License No 97 of 2011 dated 09.11.2011 developed by M/s. Asthetic Township Developers Pvt. Ltd.

Reference: EC Letter No.: 21-137 /2018-IA-III; Dated 07/02/2019.

Respected Sir,

This is with reference to the above-mentioned subject. We are herewith submitting six monthly compliance Report of "December-2020" for the period of 1st April 2020 to 30th September 2020 for the Commercial Colony Project admeasuring 2.851 acres at Sector-27, Gurugram, Haryana by M/s. Asthetic Township Developers Pvt. Ltd. along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change, GOI.

Thanking You,

Yours Sincerely,

For M/s. Asthetic Township Developers Pvt. Ltd.

Mukesh Gour

(Authorized Signatory)

Enclosure: Compliance Report; Soft copy of Report in C.D

Copy to: 1. Member Secretary, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula, Haryana

2. Member Secretary, SEIAA, Haryana Bays No. 55 - 58, Paryatan Bhawan, 1st floor, Sector 2, Panchkula, Haryana 134115

CIN NO. U45201DL2006PTC147126 Email: asthetic64@gmail.com

Commercial Complex

'Six Monthly Compliance Report'

Expansion of Commercial Complex Project at Sushant Lok, Sector-27, Gurugram Haryana by M/s. Asthetic Township Developers Pvt. Ltd.

SUBMITTED BY

M/s Asthetic Township Developers Pvt. Ltd.

December 2020

TABLE OF CONTENT

S. No	Description	
Compliance of Specific and General Conditions		

LIST OF ANNEXURES

Annexure	Description
Annexure-I	Environment Clearance Letter
Annexure-II	HSPCB/Consent/: 329962320GUNOCTE7324277 dated 03/02/2020
Annexure-III	Aravali NOC
Annexure-IV	Renewal of Licence from Directorate of Town & Country Planning, Haryana
Annexure-V	Intekaal Letter
Annexure-VI	Water Balance
Annexure-VII	RWH Details
Annexure-VIII	Waste management plan during Construction & Operation Phase
Annexure-IX	Photographs of construction of Wind Breaking wall of 10 mtrs. height for dust control
Annexure-X	Environment Monitoring Reports i.e. AAQ, Noise, Water & soil and its interpretation
Annexure-XI	Landscape plan
Annexure-XII	Photographs showing Excavated top soil is preserved
Annexure-XIII	PUC Certificate
Annexure-XIV	Environment Management and Monitoring Plan
Annexure-XV	Receiving of Previous Compliance Report of JUNE, 2020
Annexure-XVI	AAI NOC
Annexure-XVII	Electricity Approval for construction
Annexure-XVIII	RMC detail
Annexure-XIX	Diesel Bill
Annexure-XX	Copy of C&D Waste

LIST OF TABLES

Tables	Description	Page No
Table-1	Schedule of Ambient Air Quality Monitoring	01
Table-1(a)	Monitoring Result of SO ₂	01
Table-1(b)	Monitoring Result of NO ₂	02
Table-1(c)	Monitoring Result of PM ₁₀	03
Table-1(d)	Monitoring Result of PM _{2.5}	04

Tables	Description	Page No
Table-1(e)	Monitoring Result of CO	05
Table-2	Schedule of Noise Monitoring	06
Table-2(a)	Day time Monitoring result for Ambient Noise	07
Table-2(b)	Night time Monitoring result for Ambient Noise	07
Table-3	Schedule of R.O. water Monitoring	08
Table-3(a)	Result of R.O. water monitoring	09
Table-4	Soil Monitoring results	10

LIST OF FIGURES

Tables	Description	Page No
Figure-1(a)	SO ₂ Concentration	02
Figure-1(b)	NO ₂ Concentration	03
Figure-1(c)	PM ₁₀ Concentration	04
Figure-1(d)	PM _{2.5} Concentration	05
Figure-1(e)	CO Concentration	06
Figure-2(a)	Graph showing day time noise monitoring results	07
Figure-2(b)	Graph showing night time noise monitoring results	08

COMPLIANCE REPORT

Specific and General Conditions as per the Environmental Clearance issued for Expansion vide F. No. 21-137/2018-IA.III Dated: 07/02/2019 (Annexure-I) for Construction and Operation phases of the Project

Const	ruction and Operation phases of the	e Project.
S No	Conditions	Compliance
Part A	A Specific conditions	
	I.	Construction phase
i.	The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	We would obtain all the necessary clearances/permission from all the concerned departments in due course of time. As we are in initial stage of excavation work only. Following permission we have already obtained: i. Environmental Clearance, ii. Consent to Establish, iii. Aravali NOC, iv. Renewal of Licence from Directorate of Town & Country Planning, Haryana v. Intekaal Letter Copies of these permissions/clearances are attached as Annexure I, II, III, IV & V respectively.
ii.	"Consent for Establishment /Operate" for the project shall be obtained from the State Pollution Control Board as required under Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.	We have received Consent to Establish for the project. The Copy of the CTE issued by HSPCB vide CTE order no. HSPCB/Consent/: 329962320GUNOCTE7324277 dated 03/02/2020 is attached for your reference as Annexure-II .
iii.	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.	We are in a process of getting our structure certificate approved from the competent. We will submit the Structure Stability certificate and vetted drawing in due course of Time. (Along with December 2020 Compliance report).
Topog	graphy and natural Drainage	
iv.	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bioswales, landscape, and other sustainable urban drainage systems	This condition will be complied. Topographical survey has already been done to maintain the natural unrestricted flow of water, when required.

S No	Conditions	Compliance
	(SUDS) are allowed for	
	maintaining the drainage pattern	
	and to harvest rain water. Buildings	
	shall be designed to follow the	
	natural topography as much as	
	possible. Minimum cutting and	
	filling should be done.	
Water		rater Harvesting, and Ground Water Recharge
V.	Fresh water requirement from	This condition will be complied.
	HUDA supply shall not exceed 42	
	KLD with prior permission.	
vi.	A certificate shall be obtained from	We will obtain a certificate from the local body
	the local body supplying water,	regarding supply of water for operation of the project
	specifying the total annual water	and the same will be submitted.
	availability with the local authority,	
	the quantity of water already	
	committed the quantity of water	
	allotted to the project under consideration and the balance	
	water available. This should be	
	specified separately for ground	
	water and surface water sources,	
	ensuring that there is no impact on	
	other users.	
vii.	The quantity of fresh water usage,	For measurement of water consumption, we will
	water recycling and rainwater	install water meter at all the required points of water
	harvesting shall be measured and	consumption and record of the same will be
	recorded to monitor the water	maintained and submitted.
	balance as projected by the project	
	proponent. The record shall be	
	submitted to the Regional Office,	
	MoEF&CC along with six monthly	
	Monitoring reports.	
viii.	At least 20% of the open spaces as	This condition will be complied.
	required by the local building bye	
	laws shall be pervious. Use of	
	Grass pavers, paver blocks with at	
	least 50% opening, landscape etc.	
	would be considered as pervious surface.	
ix.	Installation of dual pipe plumbing	Dual plumbing system has already been taken into
17.	for supplying fresh water for	consideration. Water Balance showing use of treated
	drinking, cooking and bathing etc	water is attached as Annexure-VI for your reference.
	and other for supply of recycled	15 dimension de l'inference y 1 foi your feference.
	water for flushing, landscape	
	irrigation, car washing, thermal	
	cooling, conditioning etc. shall be	
<u> </u>	<u> </u>	

S No	Conditions	Compliance
	done.	
X.	Use of water saving devices fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.	This condition will be complied and detailed will be submitted in December 2020 Compliance report.
xi.	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Dual plumbing system has already been taken into consideration. Water Balance showing use of treated water is attached as Annexure-VI for your reference.
xii.	Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred.	This condition will be complied and detailed will be submitted in December 2020 Compliance report.
xiii.	The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 03 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.	We have proposed 03 nos. of rain water harvesting recharge pits for rain water harvesting. We have considered all the design criteria of local authority and CGWB. Detail of RWH is attached as Annexure-VII.
xiv.	No ground water shall be used during construction/ operation phase of the project.	This condition will be complied.
XV.	Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	This condition will be complied.
Solid	Waste Management	
xvi.	The provision of the Solid waste (Management) Rules, 2016, e-waste (Management) Rules, 2016, and the Plastics waste (Management) Rules, 2016 shall be	Waste management plan for construction and operation phase of the project has been prepared and submitted during Environmental Clearance. Detailed waste management plan solid waste, e-waste, and Plastic waste is attached as Annexure-VIII .

S No	Conditions	Compliance
	followed.	F 10 F
xvii.	Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	This condition will be complied.
xviii.	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation composting. The inert waste from project will be sent to dumping site.	Detailed waste management plan is prepared. Waste management plan is attached as Annexure-VIII.
xix.	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Hazardous waste generated during Construction and operation phase of the project will be disposed off through Authorized Vendor only. As we are in initial stage of construction. No hazardous waste is generated till date. Hazardous Waste Management Rules will be followed.
XX.	A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	We would obtain this certificate from the concerned government department and same will be submitted in due course of time.
Sewas	ge Treatment Plant	
xxi.	Sewage shall be treated in the STP based on SBR technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled / re-used for flushing and horticulture. Excess water shall be discharged to Municipal Sewer with prior permission.	This condition will be complied. We are in a stage of finalization of contractor for STP installation. We will submit the document in due course of time.

S No	Conditions	Compliance
xxii.	A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point shall be obtained.	We will obtain this certificate and submit in due course of time.
xxiii.	No sewage or untreated effluent water would be discharged through storm water drains.	This condition will be complied.
xxiv.	The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.	We will do the regular monitoring of treated sewage as per the guideline of HSPCB.
XXV.	The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.	This condition will be complied. Detailed plan will be submitted in due course of time.
xxvi.	The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	We will obtain the adequacy report for designed STP and submit the same in due course of time. We will ensure that there should not be any odour problem.

S No	Conditions	Compliance
xxvii.	Sludge from the onsite sewage	This condition will be complied and we will give
	treatment, including septic tanks,	agreement to the competent agency for disposal of
	shall be collected, conveyed and	sludge.
	disposed as per Ministry of Urban	
	Development, Central Public	
	Health and Environmental	
	Engineering Organization	
	(CPHEEO) Manual on Sewerage	
	and Sewage Treatment Systems,	
	2013.	
Energ		
xxviii.	Compliance with the Energy	This condition will be complied. As we are in early
	Conservation Building Code	stage of construction of the project. We will submit
	(ECBC) of Bureau of Energy	the detailed ECBC plan in due course of time.
	Efficiency shall be ensured.	
	Buildings in the States which have	
	notified their own ECBC, shall	
	comply with the State ECBC. Outdoor and common area lighting	
	shall be LED. Concept of passive	
	solar design that minimize energy	
	consumption in buildings by using	
	design elements, such as building	
	orientation, landscaping, efficient	
	building envelope, appropriate	
	fenestration, increased day lighting	
	design and thermal mass etc. shall	
	be incorporated in the building	
	design. Wall, window, and roof u-	
	values shall be as per ECBC	
	specifications.	
xxix.	Energy conservation measures like	This condition will be complied. As we are in early
	installation of CFLs/ LED for the	
	lighting the area outside the	the detailed ECBC plan in due course of time.
	building should be integral part of	
	the project design and should be in	
	place before project commissioning.	be followed for disposal of Used CFLs, TFL and
	· ·	LED. Detailed plan of E-waste management will be
	properly collected and disposed off /	•
	sent for recycling as per the	•
	prevailing guidelines / rules of the	
	regulatory authority to avoid	
7/3/3/	mercury contamination.	This condition will be complied We are doing
XXX.	Solar, wind or other Renewable	This condition will be complied. We are doing
	Energy shall be installed to meet electricity generation equivalent to	feasibility detailing for the same. Detailed plan for Energy Conservation Plan as per ECBC 2017 will be
	1% of the demand load or as per	submitted.
	170 of the demand load of as per	Submitted.

S No	Conditions	Compliance
	the state level/ Local building bye-	•
	laws requirement, whichever is	
	higher. Follow super ECBC	
	requirement of ECBC 2017 and	
	provide compliance report.	
xxxi.	Solar power shall be used for	This condition will be complied and detailed will be
12121	lighting.in the apartment to reduce	submitted in due course of time.
	the power load on grid. Separate	
	electric meter-shall be installed for	
	solar power. Solar water heating	
	shall be provided to meet 20% of	
	the hot water demand of the	
	commercial and institutional	
	building or as per the requirement	
	of the local building bye-laws,	
	whichever is higher. Residential	
	buildings are also recommended to	
	meet its hot water demand from	
	solar water heaters, as far as	
	possible.	
xxxii.	1	This condition will be complied and detailed will be
AAAII.	materials in bricks, blocks and other	
	construction materials, shall be	
	required for at least 20% of the	
	construction material quantity.	
	These include Fly Ash bricks,	
	hollow bricks, AACs, Fly Ash Lime	
	Gypsum blocks, Compressed earth	
	blocks, and other environment	
	friendly materials- Fly ash should	
	be used as building material in the	
	construction as per the provision of	
	Fly Ash Notification of September,	
	1999 and amended as on 27 th	
	August, 2003 and 25 th January,	
	2016. Ready mixed concrete must	
	be used in building construction.	
xxxiii.	A certificate of adequacy of	Adequacy Certificate for power supply will be
	available power from the agency	obtained and submitted in due course of time.
	supplying power to the project	
	along with the load allowed for the	
	project shall be submitted.	
Air O	uality and Noise	
xxxiv.		Work for construction of Wind Breaking wall of 10
		mtrs. height for dust control has already been started
		and we are in final stage completion of this
		construction. Photograph of the same is attached for
	onici un ponution prevention	The same is a unclied for

S No	Conditions	Compliance
	measures shall be provided for the	
	building as well as the site. These	
	measures shall include screens for	
	the building under construction,	
	continuous dust wind breaking	
	walls all around the site (at least 3)	
	meter height). Plastic/tarpaulin	
	sheet covers shall be provided for	
	vehicles bringing in sand, cement,	
	murram and other construction	
	materials prone to causing dust	
	pollution at the site as well as taking	
	Out debris from the site.	
	Sand, murram, Ioose soil, cement	
	stored on site shall be covered	
	adequately so as to prevent dust	
	pollution. Wet jet shall be provided	
	for grinding and stone cutting. Unpaved surfaces and loose soil	
	shall be adequately sprinkled with	
	water to suppress dust.	
XXXV.	Notification GSR 94(E) dated	We have noted the condition; we will follow the
AAAV.	25.01.2018 of MoEF&CC	Mandatory implementation of Dust Mitigation
	regarding Mandatory	Measures during construction activity.
	implementation of Dust Mitigation	recusures during construction activity.
	Measures for Construction	
	"and Demolition Activities for	
	projects requiring Environmental	
	Clearance shall be complied	
	with.	
xxxvi.	All construction and demolition	C&D Waste management Rules will be followed for
		management of construction and demolition waste.
	(and not dumped on the roads or	We will submit the detailed plan along with
	open spaces outside) before they	December 2020 Compliance report.
	are properly disposed. All	
	demolition and construction waste	Mask will be provided to all construction workers for
	shall be managed as per the	protection from the dust.
	provisions of the Construction and	
	Demolition Waste Rules, 2016. All	
	workers working at the	
	construction site and involved in	
	loading, unloading, carriage of	
	construction material and	
	construction debris or working in	
	any area with dust pollution shall	
	be provided with dust mask.	

S No	Conditions	Compliance
xxvii.	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	This condition will be complied.
xxviii.	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the generator sets to mitigate the noise pollution. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Adequate stack height as per CPCB standards will be provided for the DG sets. DG sets will be acoustically enclosed for noise control. We will submit the details of DG set and exhaust pipe height after installation of DG sets at the site.
xxxix.	For indoor air quality the ventilation provisions as per National Building Code of India.	This condition will be complied.
xl.	Ambient noise levels shall conform to residential standard both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	Regular Monitoring, as per the statutory requirements, of Ambient Noise and Ambient Air Quality will be conducted. AAQ and Ambient Noise Monitoring report is attached as Annexure-XI.
xli.	No tree cutting/transplantation of existing trees has been proposed in the project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping As proposed 2423.82	This condition will be complied. Landscape Plan attached for your reference as Annexure-XII.

S No	Conditions	Compliance		
	sqm area shall be provided for			
	green area development.			
Top S	Top Soil preservation and Reuse			
xlii.	Topsoil should be stripped to a depth of 20 c m from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Excavated top soil is preserved for use during Landscape development activities. Photograph of the same is attached as Annexure-XIII .		
Trans	_			
xliii.				
xliv.	A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria. • Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. • Traffic calming measures • Proper design of entry and exit points. • Parking norms as per local regulation	This condition will be complied.		
xlv.	A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 km s radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased	A detailed traffic management if conducted within 05 KM radius will be required for submission. Else we will say that this condition will be complied and the same will be submitted in due course of time.		

S No	Conditions	Compliance
	habitation being carried out or	•
	proposed to be carried out by	
	the project or other agencies in this	
	05 Kms radius of the site in	
	different scenarios of space and	
	time and the traffic management	
	plan shall be duly validated and	
	certified by the State Urban	
	Development department and the	
	P.W.D./ competent authority for	
	road augmentation and shall also	
	have their consent to the	
	implementation of components of	
	the plan which involve the	
xlvi.	participation of these departments. Vehicles hired for bringing	As we are in initial stage of construction Only ICD
XIVI.	Vehicles hired for bringing construction material to the site	As we are in initial stage of construction. Only JCB is at the site. For your reference we attached PUC
	should be in good c ondition and	certificate of 01 JCB as Annexure-XIV.
	should have a pollution check	certificate of of JCB as Afficaute-Aiv.
	certificate and should conform to	
	applicable air and noise emission	
	standards be operated only during	
	non-peak hours.	
Envir	onment management Plan	
xlvii.	An environmental management	Environment Management and Monitoring Plan is
	plan (EMP) as prepared and	submitted for EC. Copy the same is attached as
	submitted shall be implemented to	Annexure-XIV for your reference. We will start
	ensure compliance with the	submitting the implementation plans of EMP from
	environmental conditions specified	the December 2020 Compliance report.
	above. A dedicated	
	Environment Monitoring Cell with	
	defined functions and	
	responsibility shall be put in place	
	to implement the EMP. The environmental cell shall ensure that	
	the environment infrastructure like	
	Sewage Treatment Plant,	
	Landscaping, Rain Water	
	Harvesting, Energy efficiency and	
	conservation, water efficiency and	
	conservation, solid waste	
	management, renewable energy	
	etc. are kept operational and meet	
	the required standards. The	
	environmental cell shall also keep	
	the record of environment	
	monitoring and those related to the	

S No	Conditions	Compliance		
	environment infrastructure.	•		
Other	Others			
xlviii.	Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water,	This condition will be complied and detailed will be submitted in due course of time. We will ensure development of all necessary infrastructure and facilities for the workers. Like provision of LPG Cylinder for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc.		
	medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	We are in stage of identification of place for housing of construction workers. Details would be submitted in due course of time.		
xlix.	A First Aid Room shall be provided in the project both during construction and operations of the project.	This condition will be complied.		
1.	The company shall draw up a nd implement corporate social Responsibility plan as per the Company's Act of 2013.	This condition will be complied.		
li.	As per the Ministry's Office Memorandum F.No. 22-6512017-1A.lll dated 1 st May 2018, and proposed by the project proponent, an amount of Rs. 2.4 Crore @1.5% of project Cost shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as drinking water supply, health and education. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent	This condition will be complied.		
	PART B – GENERAL CONDITIONS			
i.	A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control	This condition will be complied.		

S No	Conditions	Compliance
	Board. The EC letter shall also be	
	displayed at the Regional Office.	
	District industries Centre and	
	Collector's Office/ Tehsildars	
••	office for 30 days.	m: 15: 311 1: 1
ii.	The funds earmarked for	This condition will be complied.
	environmental protection measures shall be kept in separate account	
	and shall not be diverted for other	
	purpose. Year-wise expenditure	
	shall be reported to this Ministry	
	and its concerned Regional Office.	
iii.	Officials from the concerned	This condition will be complied. A complete set of
	Regional Office of MoEF&CC	all the documents we have submitted for
	who would be monitoring the	Environmental Clearance will be submitted to
	implementation of environmental	APCCF, Regional Office of MoEF&CC in due
	safeguards should be given full	course of time.
	cooperation, facilities and	
	documents/data by the project proponents during their inspection.	
	A complete set of all the	
	documents submitted to	
	MoEF&CC shall be forwarded to	
	the concerned APCCF, Regional	
	Office of MoEF&CC.	
iv.	In the case of any change(s) in the	This condition will be complied.
	scope of the project, the project	
	would require a fresh appraisal by this Ministry.	
V.		If any additional condition will be imposed on us we
v .		will comply with all the conditions.
	subsequently if found necessary	will comply with all the conditions.
	and to take action including	
	revoking of the environment	
	clearance under the provisions of	
	the Environmental (Protection)	
	Act, 1986 t o ensure effective	
	implementation of the suggested	
	safeguard measures in a t ime bound and satisfactory manner.	
vi.	All other statutory clearances such	We will obtained all the required statutory
٧1.	as the approvals for storage of	clearances/NOC.
	diesel from Chief Controller of	
	Explosives, Fire Department, Civil	
	Aviation Department, the Forest	
	Conservation Act, 1980 and the	
	Wildlife (Protection) Act, 1972 etc.	

S No	Conditions	Compliance
	shall be obtained, as applicable by	•
	project proponents from the	
	respective competent authorities.	
vii.	These stipulations would be	Noted the condition.
	enforced among others under the	
	provisions of the Water	
	(Prevention and Control of	
	Pollution) Act, 1974, t he Air	
	(Prevention and Control of	
	Pollution) Act 1981, the	
	Environment (Protection) Act,	
	1986, the Public Liability	
	(Insurance) Act, 1991 and the EIA Notification, 2006.	
viii.	The project proponent shall	Copies of the newspaper advertisement will be
V 111.	advertise in at least two local	provided in due course of time.
	Newspapers widely circulated in	provided in due course of time.
	the region, one of which shall be in	
	the vernacular language informing	
	that the project has been accorded	
	Environmental Clearance and	
	copies of clearance letters are	
	available with the State Pollution	
	Control Board and may also be	
	seen on the website of the Ministry	
	of Environment, Forest and	
	Climate Change at	
	http://www.envfor.nic.in. The advertisement shall be made within	
	Seven days from the date of receipt	
	of the Clearance letter and a copy	
	of the same shall be forwarded to	
	the concerned Regional Office of	
	this Ministry.	
ix.	Any appeal against this clearance	Noted the condition.
	shall lie with the National Green	
	Tribunal, if preferred, within a	
	period of 30 days as prescribed	
	under Section 16 of the National	
	Green Tribunal Act, 2010.	TCI : 1'4' '11 1 1' 1
X.	A copy of the clearance letter shall	This condition will be complied.
	be sent by the proponent to concerned Panchayat, Zilla	
	concerned Panchayat, Zilla Parisad/Municipal Corporation,	
	Urban Local Body and the Local	
	NGO, if any, from whom	
	suggestions/ representations, if any,	
L		

S No	Conditions	Compliance
	were received while processing the proposal. The clearance letter shall also be put on the website of the	•
xi.	company by the proponent.	We will regularly upload the status of compliance of
XI.	status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM _{2.5} , PM ₁₀ , SO ₂ NOx (ambient levels as well as stack emissions) or	all the stipulated EC conditions. We will also submit Environmental Monitored data and shall update the same periodically. We will regularly submit compliance reports to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB, which is due for submission on
xii.	The environmental statement for each financial year ending 31 st	This condition will be complied.
	March in Form-V as is mandated to	
	be submitted by the project proponent to the concerned State	
	Pollution Control Board as prescribed under the Environment	
	(Protection) Rules, 1986, as	
	amended subsequently, shall also be put on the website of the	
	company along with the status of	
	compliance of EC conditions and	
	shall also be sent to the respective Regional Offices of MoEF&CC by email.	

Annexure-I Environmental Clearance Letter

F.No.21-137/2018-IA-III Government of India Ministry of Environment, Forest and Climate Change (IA.III Section)

Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi - 3

Date: 7 February, 2019

To,

Shri Vijay Kumar Yadav, Managing Director, M/s Asthetic Township Developers Pvt. Ltd.,

Apt. no. E - 301, Uniworld City, Sector 30, Gurgaon - 122002.

Phone: 9811929655

E-mail: atwnship@gmail.com

Subject: Expansion of Commercial Complex Project at Sushant Lok, Sector-27, Gurugram Haryana by M/s Asthetic Township Developers Pvt. Ltd. - Environmental Clearance - reg.

Sir,

This has reference to your online proposal No. IA/HR/MIS/84906/2018 dated 15th November, 2018 submitted to this Ministry for grant of Environmental Clearance (EC) in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006 under the Environment (Protection) Act, 1986.

- 2. The proposal for grant of environmental clearance to the project 'Expansion of Commercial Complex Project at Sushant Lok, Sector-27, Gurugram Haryana by M/s Asthetic Township Developers Pvt. Ltd.', was considered by the EAC in its 36th meeting held on 26-28 November, 2018. The details of the project, as per the documents submitted by the project proponent, and also as informed during the above meeting are as under:-
- (i) The project is located at Sushant Lok, Sector-27, District Gurugram, Haryana. Latitude: 28°27.996" N and Llongitude: 77°4.495" E.
- (ii) This is an Expansion project. The total plot area is 11,537.57 sqm, FSI area is 42,088.21 sqm and total construction (built-up) area of 71,057.12 sqm. Maximum height of the building is 95.95 m.
- (iii) The project was earlier granted Environment Clearance by SEIAA, Haryana vide letter no. SEIAA/HR/2013/1507 dated 24th December, 2013 for plot area 11,537.57 sqm and Built-up area 41,841.21 sqm
- (iv) The total water requirement for the construction of Expansion of Commercial Complex Project is estimated to be approx. 355 KLD. The water supply during Construction phase will be met through HUDA. During the construction phase, soak pits and septic tanks are provided for disposal of waste water. Temporary toilets will be provided for labourers.

- (v) During operational phase, total water demand of the project is estimated to be 337 KLD and the same will be met by 42 KLD fresh water from HUDA and 295 KLD treated water. Wastewater generated (131 KLD) will be treated in STP of total 160 KLD capacity. About 118 KLD of treated wastewater will be generated from which 97 KLD will be used for flushing, 3 KLD for gardening and remaining 18 KLD for DG cooling. Additional 177 KLD treated water will be sourced from HUDA supply for use for DG cooling (12 KLD) and HVAC cooling (165 KLD).
- (vi) About 1226 kg/day solid waste will be generated from the project. The biodegradable waste (490.4 kg/day) will be processed in OWC, Inert wastes (122.6 kg/day) will be sent to land fill and the non-biodegradable waste generated (613 kg/day) will be handed over to vendors.
- (vii) The total power requirement during operation phase is 4004 KW and will be met from Dakshin Haryana Bijli Vitran Nigam (DHBVN).
- (viii) Parking facility for 677 No. of four wheelers are proposed to be provided against the requirement of 672 No. (according to local norms).
- (ix) Proposed energy saving measures: Energy will be saved using energy efficient lighting fixtures, Electronic Ballast, Timer based lighting and APFC Panel.
- (x) It is not located within 10 km of any Eco Sensitive areas.
- (xi) Estimated Cost of the project is Rs. 160.3 Crores.
- (xii) Employment potential: It will generate direct and indirect employment opportunities for both skilled and unskilled labor during construction & operation phase.
- (xiii) Benefits of the project: Direct & Indirect employment opportunities and Infrastructural Development of the Area.
- 3. The project/activity is covered under category 'B' of item 8(a) 'Building and Construction projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level. However due to absence of SEIAA/SEAC in Haryana, the proposal is appraised at Central Level.
- 4. Based on the information submitted by the Project Proponent and detailed discussions held on all the issues, the EAC recommended the project for grant of environmental clearance and stipulated specific conditions along with other environmental conditions. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords Environmental Clearance to the project Expansion of Commercial Complex Project at Sushant Lok, Sector-27, Gurugram Haryana by M/s Asthetic Township Developers Pvt. Ltd., under the provisions of the EIA Notification, 2006 and amendments/circulars issued thereon, and subject to the specific and general conditions as under:-



PART A - SPECIFIC CONDITIONS:

- (i) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (ii) Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.
- (iii) The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightening etc.

Topography and natural Drainage

(iv) The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.

Water requirement, Conservation, rain water Harvesting, and Ground Water Recharge

- (v) Fresh water requirement from HUDA supply shall not exceed 42 KLD with prior permission.
- (vi) A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.
- (vii) The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.
- (viii) At least 20% of the open spaces as required by the local building bye-laws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.
- (ix) Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing,



- landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.
- Use of water saving devices/ fixtures (viz. low flow flushing systems; use of (x) low flow faucets tap aerators etc) for water conservation shall be incorporated in the building plan.
- Separation of grey and black water should be done by the use of dual (xi) plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.
- Water demand during construction should be reduced by use of pre-mixed (xii) concrete, curing agents and other best practices referred.
- The local bye-law provisions on rain water harvesting should be followed. If (xiii) local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 03 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.
- No ground water shall be used during construction/ operation phase of the (xiv) project.
- Any ground water dewatering should be properly managed and shall conform (xv) to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.

Solid Waste Management

- The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (xvi) (Management) Rules, 2016, and the Plastics Waste (Management) Rules, 2016 shall be followed.
- (xvii) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (xviii) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. As proposed, 80 sqm area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from project will be sent to dumping site.
- Any hazardous waste generated during construction phase, shall be disposed (xix) off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.



(xx) A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.

Sewage Treatment Plant

- (xxi) Sewage shall be treated in the STP based on SBR technology with tertiary treatment i.e. Ultra Filtration. The treated effluent from STP shall be recycled/re-used for flushing and horticulture. Excess water shall be discharged to Municipal Sewer with prior permission.
- (xxii) A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point shall be obtained.
- (xxiii) No sewage or untreated effluent water would be discharged through storm water drains.
- (xxiv) The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.
- (xxv) The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- (xxvi) The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.
- (xxvii) Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.

Energy

(xxviii) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration,

- increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.
- (xxix) Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- (xxx) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher. Follow super ECBC requirement of ECBC 2017 and provide compliance report.
- (xxxi) Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.
- (xxxii) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.
- (xxxiii) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project shall be submitted.

Air Quality and Noise

(xxxiv) Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3 meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murram and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murram, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.

- (xxxv) Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with.
- (xxxvi) All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.
- (xxxvii) The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.
- (xxxviii)The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.
- (xxxix) For indoor air quality the ventilation provisions as per National Building Code of India.
- (xl) Ambient noise levels shall conform to residential standard both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.

Green Cover

(xli) No tree cutting/transplantation of existing trees has been proposed in the project. A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed 2423.82 sqm area shall be provided for green area development.

Top Soil preservation and Reuse

(xlii) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

Transport

- (xliii) As proposed, adequate provision will be made for car/vehicle parking at the proposed project site. There shall also be adequate parking provisions for visitors so as not to disturb the traffic and allow smooth movement at the site.
- (xliv) A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.
 - Hierarchy of roads with proper segregation of vehicular and pedestrian traffic.
 - Traffic calming measures
 - Proper design of entry and exit points.
 - Parking norms as per local regulation
- (xlv) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.
- (xlvi) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during nonpeak hours.

Environment management Plan

(xlvii) An environmental management plan (EMP) as prepared and submitted shall be implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.



Others

- (xlviii) Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (xlix) A First Aid Room shall be provided in the project both during construction and operations of the project.
- (I) The company shall draw up and implement corporate social Responsibility plan as per the Company's Act of 2013.
- (li) As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1st May 2018, and proposed by the project proponent, an amount of Rs. 2.4 Crore @1.5% of project Cost shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as Education facilities in nearby communities, solar power, rain water harvesting and plantation in community areas. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.

PART B - GENERAL CONDITIONS

- (i) A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office/ Tehsildar's office for 30 days.
- (ii) The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.
- (iii) Officials from the concerned Regional Office of MoEF&CC who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF&CC shall be forwarded to the concerned APCCF, Regional Office of MoEF&CC.
- (iv) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.
- (v) The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the



- environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
- (vi) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the Forest Conservation Act, 1980 and the Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.
- (vii) These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.
- (viii) The project proponent shall advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at http://www.envfor.nic.in. The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a copy of the same shall be forwarded to the concerned Regional Office of this Ministry.
- (ix) Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- (x) A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM_{2.5}, PM₁₀, SO₂, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions



and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

5. This issues with the approval of the Competent Authority.

(Kushal Vashist) Director

Copy to:

- 1) The Secretary, Directorate of Environment, Government of Haryana, SCO 1-2-3, Sector 17 D (Second Floor), Chandigarh.
- 2) Addl. Principal Chief Conservator of Forests (Central), Ministry of Environment, Forests and Climate Change, Regional Office (NZ), Bay No.24-25, Sector 31-A, Dakshin Marg, Chandigarh -160030.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi 110 032.
- 4) Member Secretary, Haryana Pollution Control Board, C-11, Sector-6, Panchkula, Haryana 134109
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.

(Kushal Vashist)
Director

Annexure-II

HSPCB/Consent/: 329962320GUNOCTE7324277 dated 03/02/2020



HARYANA STATE POLLUTION CONTROL BOARD



Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-2332775 Email:hspcbrogrn@gmail.com

Website: www.hrocmms.nic.in E-Mail - hspcbho@gmail.com Telephone No.: 0172-2577870-73

No. HSPCB/Consent/: 329962320GUNOCTE7324277 Dated:03/02/2020

To.

M/s: Asthetic Township Developers Pvt Ltd Commercial Complex at Sector 27 Gurugram

GURGAON 122009

Sub.: Grant of consent to Establish to M/s Asthetic Township Developers Pvt Ltd

Please refer to your application no. 7324277 received on dated 2020-01-27 in regional office Gurgaon North.

With reference to your above application for consent to establish, M/s Asthetic Township Developers Pvt Ltd is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER	
Period of consent	03/02/2020 - 06/02/2026	
Industry Type	Building and construction project having waste water generation more than 100 KLD	
Category	RED	
Investment(In Lakh)	30544.0	
Total Land Area (Sq. meter)	11537.57	
Total Builtup Area (Sq. meter)	71057.12	
Quantity of effluent		
1. Trade	0.0 KL/Day	
2. Domestic	131.0 KL/Day	
Number of outlets	1.0	
Mode of discharge		
1. Domestic	Reuse/Recycle	
2. Trade	0	
Permissible Domestic Effluent Parameters		
1. BOD	30 mg/l	
2. COD	250 mg/l	
3. TSS	100 mg/l	

Permissible Trade Effluent Parameters		
1. NA	mg/l	
Number of stacks	4	
Height of stack		
1. DG Set (1500 KVA)	8 METER	
2. DG Set (1500 KVA)	8 METER	
3. DG Set (1500 KVA)	8 METER	
4. DG Set (1000 KVA)	6 METER	
Permissible Emission p	arameters	
1. NA		
Capacity of boiler		
1. NA	Ton/hr	
Type of Furnace		
1. NA		
Type of Fuel		
1. Diesel	1.1 KL/day	

Regional Officer, Gurgaon North

$H \triangle R \lor \triangle N \triangle \subseteq T \triangle T$ Haryana State Pollution Control Board.

Terms and conditions

- 1. The industry has declared that the quantity of effluent shall be 131 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 131 KL/Day for Domestic and the same should not exceed.
- 2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
- 3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
- 4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
- 5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act,1981 as amended to-date-even before starting trial production
- 6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
- 7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
- 8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.

- 9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
- 10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
- 11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
- 12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
- 13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
- 14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
- That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
- That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
- 17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
- 18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
- 19. That the unit will take all other clearances from concerned agencies, whenever required.
- 20. That the unit will not change its process without the prior permission of the Board.
- 21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
- 22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
- 23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
- 24. That unit will obtain EIA from MoEF, if required at any stage.
- 25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
- 26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions:

1. The project proponent will obtain all necessary clearances from all concerned departments. 2. Project proponent will not change the quantity of domestic effluent/trade effluent/air emission without prior permission of the Board. Project Proponent will obtain prior CTO before starting of production and apply for CTO/CTE Extension at least 90 days before expiry date of this CTE. 3. Project Proponent will install STP/ETP/ACPM along with the main project. 4. Project Proponent will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules. 5. Project Proponent will comply with the provisions of Water Act, 1974, Air Act, 1981, Solid Waste Management Rules, 2016, Hazardous & Other Waste Management Rules, 2016, Plastic Waste Management Rules, 2016, E-Waste Management Rules, 2016, Battery Managements Rules, C&D Waste Management Rules, 2016& amendments and other applicable environmental legislation. 6. Project Proponent will use only treated effluent supplied from Sewage treatment plant during construction phase of the project 7. That this CTE will not provide any relaxation /benefit from any other Act/Rules/Regulations applicable to the project/land in question. 8. Project Proponent will not discharge any type Treated or untreated effluent outside the premises of the project. 9. Project Proponent will not use in their DG set as a fuel i.e. pet coke, furnace oil and LSHS etc. 10. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants. 11. Effective fugitive emission control measures should be imposed in the process, transportation, parking etc. 12. Encourage use of cleaner fuels (pet coke / furnace oil /LSHS may be avoided). 13. Best available technology may be used. For example usage of EAF/SAF/IF in place of Cupola Furnace, Usage of Supercritical technology in place of sub – critical technology. 14. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible. 15. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc. 16. Assessment of carrying capacity of transportation load on the roads inside the industrial premises. If the roads required to be widened, shall be prescribed as a condition. 17. Project Proponent will not discharge any type of effluent inside & outside of the premises of the project and reuse/recycle of treated waste water be ensured. 18. Continuous monitoring of emission and effluent quality / quantity to be installed & will connect the same with server of CPCB and HSPCB. 19. A detailed water harvesting plan may be submitted by the project proponent. 20. Project Proponent will achieve zero discharge and install latest technology of STP/ETP and reuse/recycle of treated effluent. 21. In case, domestic waste water generation is more than 10 KLD, the industry may install STP. 22. Dumping of waste (fly ash, slag, red mud etc.) may be permitted only at designated locations approved by SPCBs/PCCs. 23. More stringent norms for management of hazardous waste. The waste generated should be preferably utilized in co-processing. 24. Monitoring of compliance of EC conditions may be submitted with third party audit every year. 25. Project Proponent will dispose off their waste/spent oil of DG sets only to authorize recyclers by the HSPCB. 26. The % of the CER may be least 1.5 times the slabs given in the OM dated 01.05.2018 for SPA and 2 times for CPA in case of Environmental Clearance. 27. Project proponent will comply all the directions of CPCB in this regard and will comply all the orders issued by any court in this regard. 28. Project Proponent will submit an affidavit regarding compliances of above said conditions within 30 days. 29. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly. 30. Unit will deploy anti -smog gun at site to comply with the above said directions & keep proper record of operation of the same and submit action taken report to this office within 03 days positively, failing which action shall be initiated as per applicable Acts/ Rules /Notifications. 31. CTE so granted is on the basis of detail submitted by the unit in online application, CTE granted will be without prejudice to any violation made by unit in past & will be deemed revoked & further action will be taken as per law if any violation is observed at any stage, 32. At any stage, if any violation observed of any above conditions at any time, this CTE stands cancelled /revoked & further action will be taken as per law if any violation is observed at any stage.

Annexure-III Aravali NOC

उपायुक्त, गुडगांव।

रोवा में

M/s Asthetic Township Developers Pvt. Ltd.

कमांक 3373 /एस०के०२ दिनांक 17-10-13

विषय:

Request for issuing Aravali Notification 1992 & PLPA 1900 from DFO and Tehsildar through Deputy Commissioner of M/s Asthetic Township Developers Pvt. Ltd. project at village Sukhrali, Sector-27, Gurgaon.

यादि

उपरोक्त विषय पर आपके प्रार्थना पत्र के सन्दर्भ में ।

विषयाधीन मामले में इस कार्यालय द्वारा तहसीलदार गृहगांव व उप-वन संरक्षक गुडगांव से रिपोर्ट प्राप्त की गई जो निम्न प्रकार है :-

तहसीलदार गुडगांव :- तहसीलदार गुडगांव के कार्यालय के पत्र कमांक 2327 / ओ०के० दिनांक 07.10.2013 द्वारा इस कार्यालय मे प्राप्त रिपोर्ट अनुसार मौजा सुखराली की अराजी किला नं0 59//6, 15, 8/1/1, 13/2, किता 4 रकबा 14-16-3 सालम के मालिक मैo अस्थैटिक टाउनशिप डवलपर्स प्रा0लिo बरूवे इन्तकाल नंo 1438-1534 से मालिक है व किला नं0 59//7 रकबा 8-0 सालम के सुधीर पुत्र साहिबराम पुत्र शिवधन्द बरूवे इन्तकाल नं० 1437 से मालिक है। बिन्दुवार रिपोर्ट निम्नप्रकार

1. उपरोक्त अराजी अरावली क्षेत्र से बाहर है।

2. 07.05.1992 के नोटिफिकेशन से पूर्व अराजी मूमि की किस्म कभी भी गैर मुमकिन पहाड, गैर मृ० राडा, गैर मृ० बीहड, बंजड बीहड व रून्द नहीं रही है।

3. गिरदावरी 1992 से पूर्व किस्म चाही है जो ताहाल है।

उप-वन संरक्षक, गुडगांव के कार्यालय के पत्र क्मांक 2259-20जी दिनांक 03.10.2013 द्वारा इस कार्यालय में प्राप्त रिपोर्ट अनुसार M/s Asthtic Township Developers Pvt. Ltd. vide letter No. Nil dated 14-08-2013 made a request in connection with land measuring 2.851 acres having Killa No 6, 7, 8/1/1, 13/2, 15/1 land located at village Sukhrali, District Gurgaon, Applicant made a proposal to use this land for Commercial Colony Purpose In Continuation of report submitted by RFO, Gurgaon vide letter no. 703-G dated 24-08-2013 it is made clear that:

A As per record available above said land is not part of notified Reserved Forest, Protected Forest under Indian Forest Act, 1927 or any area closed under

section 4 & 5 of Punjab Land Preservation Act 1900.

B It is clarified that by the notification no. S.O.8/P.A2/1900/S.4/2013 dated 4th January 2013 all Revenue Estate of Gurgaon Tehsil is notified u/s 4 of PLPA 1900 and S.O. 81/PA.2/1900/S.3/12 dated 19th December 2012 u/s 3 of PLPA 1900. The area is however not recorded as forest in the Government record but felling of any tree is strictly prohibited without the permission of Divisonal

Forest Officer, Gurgoan.

If approach is required from Protected Forest by the user agency, the clearance/regularization under Forest Conservation Act, 1980 will be required without prior clearance from Forest Department, the user of Forest land for approach road is strictly prohibited M/s Asthetic Township Developers Pvt. Ltd. whose land is located at village Sukhrali, District Gurgaon must obtain clearance as applicable under Forest Conservation Act 1980.

- D As per records available with the forest Department Gurgaon, the area does not fall in areas where plantations were raised by the Forest Department under Aravalli project.
- E All other statutory clearance mandated under the Environment Protection Act, 1986 or any other Act/order shall be obtained as application by the project proponents from the concerned authorities.
- proponents from the concerned authorities.

 F The project proponents will not violate any judicial order/ Pronouncement issued by the Hon'ble Supreme Court/High Courts.
- G It is clarified that the Hob'ble supreme Court has issued various judgment dated 06.05.2002 29.10.2002, 16.12.2002, 18.03.2004, etc. pertaining to Aravalli region in Haryana, which should be complied with.
- H It shall be the responsibility of user agency/applicant to get necessary clearances/permissions under various Acts and Rules applicable if any, from the respective authorities/Department...

रिपोर्ट सेवा मे प्रेषित है।

हतेः उपास्त्रतं गुडगांव।

कमाक

/एस0के02 दिनांव

इसकी एक प्रति Director General, Town & Country Planning, Haryana, Chandigarh को सूचनार्थ एवं आवश्यक कार्यवाही हेतू प्रेषित है।

कृतेः अपायुक्त गुडगांव।

Annexure-V

From: Dy. Conservator of Forests,

Gurgaon, Haryana.

To, M/s Asthetic Township Developers Pvt. Ltd. 262, DDA Office Complex, Jhandewalan Extn., New Deihi-110055

No. 2259-20-9

Dated: 3/10/12

Sub.: Clarification regarding Applicability of forest laws on Non Forest land Applied by M/s Asthetic Township Developers Pvt. Ltd. land located at Village-Sukhrall, Sector-27, Sushant Lok District-Gurgaon.

Applicant M/s Asthetic Township Developers Pvt. Ltd., 262, DDA Office Complex, Jhandewalan Extn., New Delhi-110056 vide letter no. Nil. dated 14.08.2013 made a request in connection with land measuring 2.851 Acres having Killa No. 6, 7, 8/1/1, 13/2, 15/1, land located at village Sukhrali, Sector-27, Sushant Lok District Gurgaon. Applicant made a proposal to use this land for Commercial Colony Purpose. In continuation of report submitted by RFO, Gurgaon vide Letter No. 703-G dated 24.08.2013 it is made clear that:

- As per records available above said land is not part of notified Reserved Forest, Protected Forest under Indian Forest Act, 1927 or any area closed under section 4 & 5 of Punjab Land Preservation Act, 1900.
- b) It is clarified that by the Notification No. S.O.8/P.A 2/1900/S.4/2013 dated 4th January, 2013, whole Revenue Estate of Gurgaon is notified u/s 4 of PLPA 1900 and S.O.81/PA.2/1900/S.3/2012 dated 19th December, 2012 u/s 3 of PLPA 1900. The area is however not recorded as forest in the Government record but felling of any tree is strictly prohibited without the permission of Divisional Forest Officer, Gurgaon.
- c) If approach is required from Protected Forest by the user agency, the clearance/regularization under Forest Conservation Act 1980 will be required. Without prior clearance from Forest Department, the use of Forest land for approach road is strictly prohibited. M/s Asthetic Townshlp Developers Pvt. Ltd. whose land is located at village, Sukhrall, Sector-27, Sushant Lok District Gurgaon must obtain clearance as applicable under Forest Conservation Act 1980.
- d) As per the records available with the Forest Department, Gurgaon, the area does not fall in areas where plantations were raised by the Forest Department under Aravalli project.
- e) All the statutory clearances mandated under the Environment Protection Act. 1986, as per the notification of Ministry of Environment and Forests, Government of India, dated 07-05-1992 or any other Act/order shall be obtained as applicable by the project proponents from the concerned authorities.
- f) The projec proponent will not violate any Judicial Order/ direction issued by the Hon'ble Supreme Court/ High Courts.
- g) It is clarified that Hon'ble Supreme Court has issued various judgments dated 07.05.2002, 29.10.2002, 16.12.2002, 18.03.2004, 14.5.2004 etc. pertaining to Aravalli region in Haryana, which should be compiled with, Since the proposed site falls within 5 Km. of Delhi boundary. The permission from the Mining Department, Haryana pollution Board, Deptt. of Town & Country Planning Haryana and other appropriate authorities must be obtained who is under obligation to follow the directions in the various Hon'ble Supreme Court Judgments while granting permission.
- h) It shall be the responsibility of user agency/applicant to get necessary clearances/permissions under various Acts and Rules applicable if any, from the respective authorities/Department.

Date:

Place: Gurgaon

Dy. Conservator of Forest, Gurgaon.

Endst. No.

Dated:

A copy is forwarded to:-

) Conservator of Forests, South Circle, Gurgaon for kind information.

2) D.G, T.C.P, Ayojana Bhawan, Sec-18, Madhya, Marg, Chandigarh for kind information

3) Dy.Commissioner, Gurgaon w.r.t. his letter no.3538 dated 17.07.2013 for kind information & necessary action.

4) Guard File.

Dy. Conservator of Forest, Gurgaon.

उपायुक्त, गुडगांव। लहसीलदार, गुडगांव

3413 25-713

क्रमांक 353)/एम.बी

विनांक 17-7-13

विषय:-

Request for issuing Aravali notification 1992 & PLPA from DFO and Tehsildar through Deputy Commissioner of M/s Asthetic Township Developers Pvt. Ltd. project at Village Sukhrafi Sec-27, Sushantlok, Gargaon

उपरोक्त विषय पर अनुरोध है कि संलग्न प्रार्थना पत्र में प्रस्तादित भूमि का Report (not covered under Aravali Notification area) जारी की जानी है। अतः आपको मूल कागजात की प्रति संलग्न करके लिखा जाता है कि आप विस्तारपूर्वक रिपोर्ट ∕टिप्पणी सहित तैयार करके एक सप्ताह के अन्दर-अन्दर इस कार्यालय में निम्न बिन्दुओं पर भिजवाना सुनिश्चित करें ताकि आगामी कार्यवाही की जा सकें।

- प्रार्थना पत्र में वर्णित खसरा न0 अरावलों क्षेत्र में है अथवा नहीं।
- 1992 के नोटिफिकेशन से पूर्व व उसके पश्चात की गिरवावरी तथा किस्म जमीन भी स्पष्ट रिपोर्ट करने का कष्ट करे।
- वर्णित प्रार्थना पत्र मे दर्शाय गए खसरा न0 शामलात/ग्राम पंचायत/नगरपासिका/नगर निगम की भूमि/मलिकयत तो नहीं है।
- आराजी भूमि की ता हाल मलकियम बारे।
- आराजी भूमि बारे किसी इंतकाल की नजरसानी रिपोर्ट तो नहीं की गई है या इंतकाल मुतनाजा तो नहीं।
- आराजी भूमि का किसी माननीय न्यायालय मे केस तो नही चल रहा है।
- आराजी भूमि पर किसी प्रकार का कोई भार तो है अथवा नहीं।

क. 1732/और के. दिनांक 25-7-13. एक प्रति/मूलरूप ने गिरदावर इत्का 252/विको आवश्यक कार्यवाही एवं रिवोर्ट। टिप्पणी हेर्दू प्रेवित है।

Judicial ous

क्तेः उपायुक्त, गुडगांव।

म्हारी उक्ता कुरारों विमायवसार निर्मार केरे स्रीमारकी विस्तापुकी काम स्टूम्स हैं।

भीमार की निर्वाद की कार्ती हैं सेम की अस में विका कारान मीप उनमपर्स प्राठ किर शिक आमीस रक 194 वसन विहार नहीं हिलली वस्ते र्वक 10 1438 - 1534 मन्यूर मुड़ा दुस्तीक । सीका कर वर 59/16 (7-12) 15/1 (5-112) 8/4, (0-6-4) 13/2 (1-6-3) 17/11 4 रमका 14-16-3 सम्मा की मामिक व कारिए हैं व सुन्पीर गुप्र MILEGIN IN THATE BOS 1437 FOR THE TELLINE ALMOS 5% 7(00) सामा का मामक व कार्विवर मीपा अन्छरामी सर् वा तिला रडमाया उपरोक्त आसादी की असवमी देश र्स वाहर ड उपरेश्न रामरा नावरात जामात हैट। गान पं-पापत क אוואות א בוונים או אוואו מוניבווה א סיבונות הוועון की या केर इ-समा नदारमी न देशाली नहीं है व्यापान आराजी मूल अनुमाद रिकार मान विसी न्यायामप है कीई केस गरी-या रहा है उपरोध्त आरावी गूरि अनुसार रिकार्ड माल के अंडसार कोर नार व लोड - आउरका वर्मी निर्माद असीम कर्मकारी देता नेवा के पेशह है A 90 110113

25 mai 2327 | ok. 16 mai 7-10-13

12 mi wifns 6-21 m 18 cm min or 58 - 15 - bi - 12

12 mi wifns 6-21 m 18 cm on min or 58 - 15 m 18 min or 58

10 mi wifns 6-21 m 18 more on on min or 58 min of 58

अपनी कामाता के जार काम कि माना की का कर कार का मिला की का कर कार का मिला के का की का माना की की का माना की की की माना की की की माना की की की माना की की माना की की की की माना की की की माना की की माना की की माना की की माना माना की माना की माना माना माना की माना माना माना माना माना माना सवा में उतारी अहारण (दूर काही के आप निर्माट के अपने काही के अपने काही का किया के अपने काही के अपने काही के अपने **उद्यो**लदार The same of the sa

Annexure-IV Renewal of Licence from Directorate of Town & Country Planning, Haryana

Directorate of Town & Country Planning, Haryana

Plot no. 3, Nagar Yojana Bhawan, Sector-18A, Madhya Marg, Chandigarh Phone: 0172-2549349, e-mail:tcpharyana7@gmail.com website:-http://tcpharyana.gov.in

Regd. To

Asthetic Township Developers Pvt. Ltd.

APT No. E-602, Uniworld City,

Sector 30, Gurugram.

Memo No. LC-2400-Asstt(RK)/2019/

31572 Dated: 20-12-2019

Subject:

Renewal of licence No. 97 of 2011 dated 09.11.2011.

Please refer to your application dated 04.10.2019 on the matter cited as subject above.

- Licence No. 97 of 2011 dated 09.11.2011 granted for setting up of commercial 2. colony on the land measuring 2.851 acres in Sector 27, Gurugram Manesar Urban Complex is hereby renewed upto 08.11.2024 on the same terms & conditions laid down therein.
- This renewal will not tantamount to certification of satisfactory performance 3. of the applicant entitling him for further renewal of license.
- The BG on account of IDW shall be got revalidated well before its expiry. 4.
- Service plan estimates of the colony shall be submitted for approval in the 5. office of competent authority after approval of revised building plans.
- That the licensee company shall submit the ultimate power load requirement 6. within current validity period of license.
- That the amendment in Rule 13 in respect of charging of renewal fees is under 7. consideration, for which the draft notification was notified on 20.08.2019. Therefore, increased renewal fees shall be deposited by you in accordance with the final notification or as decided by the Department.

(K. Makrand Pandurang, IAS) Director, Town & Country Planning Haryana, Chandigarh 4

Endst. No. LC-2400-Asstt(RK)/2019/

Dated:

A copy is forwarded to the following for information and necessary action:-

- i. Chief Administrator, HSVP, Panchkula.
- ii. Senior Town Planner, Gurugram.
- Website Administrator with a request to update the status of renewal of license iii. on the website of the Department.

iv. District Town Planner, Gurugram.

Chief Account Officer of this Directorate. ٧.

> Distt. Town Planner (HQ) For Director, Town & Country Planning

Haryana, Chandigarh

ORDERS

Whereas, License No. 97 of 2011 dated 09.11.2011 stands granted to Asthetic Township Developers Pvt. Ltd., APT No. E-602, Uniworld City, Sector 30, Gurugram for setting up of commercial colony over an area measuring 2.851 acres in Sector 27, Gurugram Manesar Urban Complex under the provisions of Haryana Development and Regulation of Urban Areas Act, 1975. As per terms and conditions of the licenses and of the agreement executed on LC-IV, the colonizer is required to comply with the provisions of the Haryana Development and Regulation of Urban Areas Act, 1975 and its Rules, 1976.

And, whereas, for delay in compliance of the provisions of Rule 24, 26(2), 27 & 28 of the Haryana Development and Regulation of Urban Areas Rules, 1976 upto 31.03.2019, the licensee has submitted a request for composition of said offence. As per the rates finalized by the Govt. the composition fee has worked out as Rs. 2,24,000/-. The company has deposited composition charges amounting Rs. 2,24,000/-through e-payment TCP3172519112750204 dated 27.11.2019.

Accordingly, in exercise of power conferred under Section-13(1) of the Haryana Development and Regulation of Urban Areas Act, 1975, I hereby order to compound the offence committed due to delay in compliance of above said Rules upto 31.03.2019.

(K. Makrand Pandurang, IAS)
Director,
Town and Country Planning,
Haryana, Chandigarh

Endst. No. LC-2400-Asstt(RK)/2019/ 3157-9

Dated: 20-12-2019

A copy is forwarded to the following for information and necessary action:-

 Chief Accounts Officer, O/o Director, Town and Country Planning Haryana Chandigarh.

Asthetic Township Developers Pvt. Ltd., APT No. E-602, Uniworld City, Sector 30, Gurugram.

(Narender Kumar)
Distt. Town Planner (HQ)
For Director, Town and Country Planning,

Haryana, Chandigarh

Annexure-V Intekaal Letter

भूत्र मध्य	¥.	The same of the sa	Fritz despite despite forcing	Marie of the state
\$	-		erie energi energi erie erien erien	25 1 25 00 00 00 00 00 00 00 00 00 00 00 00 00
(A)			eliski de liikde	1
<u>चित्र</u>		The second secon	ujen irsy e irse e kir ide e bak	15 29 15 15 15 15 15 15 15 15 15 15 15 15 15
	91	। किया आएम -	साम आक्राप्त एक अक्रूबास राज्य	CHE RISTANCE OF CICK.
न्हर्मास	The second control of the second seco	७ क्राम क्रीट को अब काबभ किया जाएग	प्रकार स्थापित होते. इ.स. स्थापीत होते	अविष् क्षाम्पा अविष् विष्यु
,		Andrews areas and a second sec	alaja lästelle neg 1924	
		43	enade de gelebb	The state of the s
मेंच हर्म्यह	-	ा प्रमुख किस् क्ष	各位于15年間 各位地區區區等 405年 8 818年18	15 S S S S S S S S S S S S S S S S S S S
	i m	इन्द्रशास राज्याचे		विवर-पी.
1 (是是法)		हमार सामस्ती सुम्हा चा ाचने मही सन्तान तेनाते ।	State of the state	अगाहिक शाम अगाहिक शाम अगाहिक शाम अगाहिक शाम अगाहिक शाम अगाहिक शाम
मिन्टम इन्त्यताता मध	~	गुन् समयन्त्री	Le is the 1816	
南位	7	25	udik gestir 1415 of	5-15- 85- 85- 85- 85- 85- 85- 85- 85- 85- 8
			Mil. des	14.38

Annexure-VI Water Balance

Table 5: Calculations for Daily Water Demand

S.	Unit Type	Occupancy	Rate of demand	Total water					
No.			(lpcd)	requirement (KLD)					
A	Domestic Water								
1	Ground Floor (Retail Shop)								
	• Staff	131	30	4					
	• Visitors	1183	15	18					
2	First to Nineteenth Floor (Office)								
	• Staff	3305	30	99					
	• Visitors	367	15	6					
3.	Sky Lounge (Terrace)								
	• Visitors	794	15	12					
TOTAL DOMESTIC WATER DEMAND = 139 KLD									
В	HORTICULTURE		1 l/sqm/day	3 KLD					
	$(2423.82m^2)$								
C	HVAC (1650 TR)	10 hours	@10 Litre/TR	165 KLD					
D.	DG Cooling (3 X 1500	0.9 lt/kva/hr		30 KLD					
	KVA + 1 X 1000 KVA)								
GRAND TOTAL (A+B+C) = 337 KLD									

^{*}DG Sets water demand are calculated for 6 Hours operation/day.

Table 6: Waste Water Calculations

Domestic Water Requirement	139 KLD		
• Fresh water (@30% of domestic water)	42 KLD		
• Flushing water (@ 70% of domestic water)	97 KLD		
Waste Water Generated	34 +97 = 131 KLD		
(@ 80% fresh water + 100% flushing water)			
STP Capacity	160 KL		

The water balance diagrams for different seasons are shown below:




Figure 1: Water Balance Diagram (Non-Rainy Season)




Figure 2: Water Balance Diagram (Rainy Season)

Wastewater Generation & Treatment

It is expected that the project will generate approx. 131KLD of wastewater. The wastewater will be treated in onsite STP of 160 KL capacity. The treated effluent 118 KLD will be reused for flushing, horticulture, DG Cooling & HVAC.

FORM IA

2.2 What is the quality of water required, in case, the supply is not from a municipal source? (Provide physical, chemical, Biological characteristics with class of water quality).

The required water will be met through the HUDA. The total water requirement is approx. 337 KLD.

SBR TECHNOLOGY

Sewerage System

An external sewage network shall collect the sewage from all units, and flow by gravity to the proposed sewage treatment plant.

Following are the benefits of providing the Sewage Treatment Plant in the present circumstances:

- Reduced net daily water requirements, source for Horticultural purposes by utilization of the treated waste water.
- Reduced dependence on the public utilities for water supply and sewerage systems.
- Sludge generated from the Sewage Treatment Plant shall be rich in organic content and an excellent fertilizer for horticultural purposes.

a. Wastewater Details

(a) Daily load : 131 KLD

(b) Duration of flow to STP : 24 hours

(c) Temperature : Maximum 46°C

(d) pH : 6.5 to 8.5

(e) Colour : Mild

(f) T.S.S. (mg/l) : 300-400

(g) BOD_5 (mg/l) : 250-350

(h) COD(mg/l) : 400-600

(i) Oil & Grease : 10-50

(j) Color : Mild

b. Final discharge characteristics

(a) pH : 6.5 to 7.5

(b) Oil & Grease : <10 mg/l

Expansion of Commercial Complex Project At Sushant Lok, Sector-27, Gurugram Haryana

FORM IA

(c) B.O.D. : <20 mg/l (d) C.O.D. : <50 mg/l (e) Total Suspended Solids : <10 mg/l

(h) Color : Clear

c. Treatment Technology

Sequence Batch Reactor is a most prominent technique for removing organic carbon and nutrient in a relatively short period. The fill and draw scheme constitute the basic principle of the SBR system. Raw sewage will be collected under gravity into the equalization tank after allowing to pass through the bar screen. The bar screen, by removing coarse solids from the sewage help in protecting the raw sewage pump. The raw sewage equalization tank, through temporarily holding the incoming sewage facilitates both pumping of sewage through the STP and dampening the flow variation in the received sewage. The sewage collected in equalization tank is pumped and passed through the SBR tank. Air will be introduced in this tank to prevent any potential foul smell problem & to provide the mixing of wastewater to avoid the sedimentation of solids in this tank.

The SBR is basically a single tank that serves both biological reactor and settler in a temporal sequence, whereas aeration and settling are simultaneous but in a spatial sequence.

From the reactors, The suspended solids will settle at the bottom of the tank & clear supernatant will overflow to Collection cum storage tank collected sludge at bottom shall be transferred through pumps to sludge holding tank. The clear supernatant after clarifier will be collected in to filter feed tank. This tank will act as housing tank for filter feed pumps. The clarified & dis-infected water will be then fed to filtration unit.

Filtration unit consisting of Dual Media sand filter and activated carbon filter will remove the residual impurities such as odor/color, suspended solids, BOD/COD. The treated water after the filtration unit will be collected in Irrigation cum Flushing water storage tank from where it is transferred to flushing water tank at terrace & Irrigation System.

Excess sludge from the bottom of the settling tank will be removed and transferred to sludge holding tank. Air grid shall be provided in this tank to avoid conversion into anaerobic conditions, thickening of sludge and keep sludge in homogenous condition. The digested & thickened sludge shall be further thickened through Sludge Dewatering System and disposed off periodically through closed tanker or can be reused as manure.

Stages of Treatment: The treatment process consists of the following stages:

- Equalization
- Bio- Degradation
- Clarification & Settling
- Filtration




Figure 3: Flow Diagram of SBR

Sewer System

The alignment and slope of the sewer line will follow the road network, drains or natural ground surface and will be connected to the trunk sewers. The discharge point will be a treatment plant, a pumping station, a water course or an intercepting sewer. Pumping stations would be provided at places where the natural slope of the terrain is insufficient to permit gravity flow or the cost of excavation is uneconomical to do the same.

2.3 How much of water requirement can be met from the recycling of treated wastewater? (Give the details of quantities, sources and usage)

It is expected that the project will generate approx. 131 KLD of wastewater. The wastewater will be treated in onsite STP of 160 KL capacity. The treated effluent 118 KLD will be reused for flushing, horticulture, DG Cooling & HVAC.

2.4 Will there be diversion of water from other users? (Please assess the impacts of the project on other existing uses and quantities of consumption).

No. There will not be any diversion of water from other users. Rise in water demand is a local phenomenon but the project would only involve spatial shifting of water demand within a region.

2.5 What is the incremental pollution load from wastewater generated from the proposed activity? (Give details of the quantities and composition of wastewater generated from the proposed activity)

131 KLD of sullage generated which will be treated through onsite STP of 160 KL capacity.

2.6 Give details of the water requirements met from water harvesting? Furnish details of the facilities created.

The storm water collection system for the premises shall be self-sufficient to avoid any collection/stagnation and flooding of water. The amount of storm water run-off depends upon many factors such as intensity and duration of precipitation, characteristics of the tributary area and the time required for such flow to reach the drains. The drains shall be located near the carriage way along either side of the roads. Taking the advantage of road camber, the rainfall run off from roads shall flow towards the drains. Storm water from various plots/shall be connected to adjacent drain by a pipe through catch basins. Therefore, it has been calculated to provide 3 rainwater harvesting pits at selected locations, which will catch the maximum run-off from the site.

1) Since the existing topography is congenial to surface disposal, a network of storm water pipe drains is planned adjacent to roads. All building roof water will be brought down through rain water pipes.

Annexure-VII RWH Details

2.3 How much of water requirement can be met from the recycling of treated wastewater? (Give the details of quantities, sources and usage)

It is expected that the project will generate approx. 131 KLD of wastewater. The wastewater will be treated in onsite STP of 160 KL capacity. The treated effluent 118 KLD will be reused for flushing, horticulture, DG Cooling & HVAC.

2.4 Will there be diversion of water from other users? (Please assess the impacts of the project on other existing uses and quantities of consumption).

No. There will not be any diversion of water from other users. Rise in water demand is a local phenomenon but the project would only involve spatial shifting of water demand within a region.

2.5 What is the incremental pollution load from wastewater generated from the proposed activity? (Give details of the quantities and composition of wastewater generated from the proposed activity)

131 KLD of sullage generated which will be treated through onsite STP of 160 KL capacity.

2.6 Give details of the water requirements met from water harvesting? Furnish details of the facilities created.

The storm water collection system for the premises shall be self-sufficient to avoid any collection/stagnation and flooding of water. The amount of storm water run-off depends upon many factors such as intensity and duration of precipitation, characteristics of the tributary area and the time required for such flow to reach the drains. The drains shall be located near the carriage way along either side of the roads. Taking the advantage of road camber, the rainfall run off from roads shall flow towards the drains. Storm water from various plots/shall be connected to adjacent drain by a pipe through catch basins. Therefore, it has been calculated to provide 3 rainwater harvesting pits at selected locations, which will catch the maximum run-off from the site.

1) Since the existing topography is congenial to surface disposal, a network of storm water pipe drains is planned adjacent to roads. All building roof water will be brought down through rain water pipes.

- 2) Proposed storm water system consists of pipe drain, catch basins and seepage pits at regular intervals for rain water harvesting and ground water recharging.
- 3) For basement parking, the rainwater from ramps will be collected in the basement storm water storage tank. This water will be pumped out to the nearest external storm water drain.
- 4) The peak hourly rainfall of 45 mm/hr shall be considered for designing the storm water drainage system.

Rain water harvesting has been catered to and designed as per the guideline of CGWA. Peak hourly rainfall has been considered as 45 mm/hr. The recharge pit of 4 m diameter and 3 m depth is constructed for recharging the water. Inside the recharge pit, a recharge bore is constructed having adequate diameter and depth. The bottom of the recharge structure will be kept 5m above this level. At the bottom of the recharge well, a filter media is provided to avoid choking of the recharge bore. Design specifications of the rain water harvesting plan are as follows:

- Catchments/roofs would be accessible for regular cleaning.
- The roof will have smooth, hard and dense surface which is less likely to be damaged allowing release of material into the water. Roof painting has been avoided since most paints contain toxic substances and may peel off.
- All gutter ends will be fitted with a wire mesh screen and a first flush device would be
 installed. Most of the debris carried by the water from the rooftop like leaves, plastic bags
 and paper pieces will get arrested by the mesh at the terrace outlet and to prevent
 contamination by ensuring that the runoff from the first 20 minutes of rainfall is flushed
 off.
- No sewage or wastewater would be admitted into the system.
- No wastewater from areas likely to have oil, grease, or other pollutants has been connected to the system.

Table 7: Comparative Details of Rain water Harvesting

S. No.	Particulars	EC accorded	Expansion	Total (EC accorded + Expansion)
1.	Rain water Harvesting Pits	3		3

Calculations for storm water load:

Net Plot Area =
$$11,537.57$$
m²

Roof-top area = Ground Coverage =
$$4,524.140 \text{ m}^2$$

Green Area =
$$2,423.82 \text{ m}^2$$

$$= 4589.61 \text{ m}^2$$

Run-off Load.

Roof-top Area =
$$4524.140 \times 0.045 \times 0.9$$

$$= 183.227 \text{m}^3/\text{hr}.$$

Green Area =
$$2423.82 \times 0.045 \times 0.2$$

$$= 21.81 \text{m} 3/\text{hr}.$$

Paved Area =
$$4,589.61 \times 0.045 \times 0.7$$

$$= 144.57 \text{ m}3/\text{hr}$$

Total Runoff Load =
$$183.227 + 21.81 + 144.57 \text{ m}^3/\text{hr}$$
.

$$= 349.607 \text{ m}^3/\text{hr}.$$

Taking 20 minutes retention time, volume of storm water = $349.607 / 3 = 116.53 \text{ m}^3$

Capacity of Recharge pit =
$$\pi$$
 r²h = 3.14 × 2 × 2 × 3 = 37.68 m³

Hence No. of pits required =
$$116.53/37.68 = 3$$
 pits

Total of 3 Rain Water Harvesting pits are proposed for artificial ground water recharge.

2.7 What would be the impact of the land use changes occurring due to the project on the runoff characteristics (quantitative as well as qualitative) of the area in the post construction phase on a long term basis? Would it aggravate the problems of flooding or water logging in any way?

Annexure-VIII Waste management plan during Construction & Operation Phase

- Provision of slit traps in storm water drains
- Good housekeeping in the above areas

10.2.4 EMP FOR LAND ENVIRONMENT

Construction Phase

The waste generated from construction activity includes construction debris, biomass from land clearing activities, waste from the temporary make shift tents for the labors and hazardous waste. Following section discuss the management of each type of waste. Besides waste generation, management of the topsoil is an important area for which management measures are required.

Construction Debris

Construction debris is bulky and heavy and re-utilization and recycling is an important strategy for management of such waste. As concrete and masonry constitute the majority of waste generated, recycling of this waste by conversion to aggregate can offer benefits of reduced landfill space and reduced extraction of raw material for new construction activity. This is particularly applicable to the project site as the construction is to be completed in a phased manner.

Mixed debris with high gypsum, plaster, shall not be used as fill, as they are highly susceptible to contamination, and will be send to designated solid waste landfill site.

Metal scrap from structural steel, piping, concrete reinforcement and sheet metal work shall be removed from the site by construction contractors. A significant portion of wood scrap will be reused on site. Recyclable wastes such as plastics, glass fiber insulation, roofing etc shall be sold to recyclers.

Hazardous waste

Construction sites are sources of many toxic substances such as paints, solvents wood preservatives, pesticides, adhesives and sealants. Hazardous waste generated during

construction phase shall be stored in sealed containers and disposed off as per The Hazardous Wastes (Management, Handling & Trans boundary Movement) Rules, 2016. Some management practices to be developed are:

- Herbicides and pesticide will not be over applied (small-scale applications) and not applied prior to rain.
- Paintbrushes and equipment for water and oil based paints shall be cleaned within a contained area and will not be allowed to contaminate site soils, water courses or drainage systems.
- Provision of adequate hazardous waste storage facilities. Hazardous waste collection containers will be located as per safety norms and designated hazardous waste storage areas will be away from storm drains or watercourses.
- Segregation of potentially hazardous waste from non-hazardous construction site debris.
- Well labeled all hazardous waste containers with the waste being stored and the date of generation.
- Instruct employees and subcontractors in identification of hazardous and solid waste.

Even with careful management, some of these substances are released into air, soil and water and many are hazardous to workers. With these reasons, the best choice is to avoid their use as much as possible by using low-toxicity substitutes and low VOC (Volatile Organic Compound) materials.

Waste from Temporary Makes Shift Tents for Labors

Wastes generated from temporary make shift labor tents which will be managed by the contractor of the site. The wastewater generated will be channelized to the septic tank.

Top Soil Management

To minimize disruption of soil and for conservation of top soil, the contractor shall keep the top soil cover separately and stockpile it. After the construction activity is over, top soil will be utilized for landscaping activity. Other measures, which would be followed to prevent soil erosion and contamination include:

- Maximize use of organic fertilizer for landscaping and green belt development
- To prevent soil contamination by oil/grease, leaf proof containers would be used for storage and transportation of oil/grease and wash off from the oil/grease handling area shall be drained through impervious drains and treated appropriately before disposal
- Removal of as little vegetation as possible during the development and revegetation of bare areas after the project.
- Working in a small area at a point of time (phase wise construction)
- Construction of erosion prevention troughs/berms.

Operational Phase

The philosophy of solid waste management at the proposed complex will be to encouraging the four R's of waste i.e. Reduction, Reuse, Recycling and Recovery (materials & energy). Regular public awareness meetings will be conducted to involve the public in the proper segregation and storage techniques. The Environmental Management Plan for the solid waste focuses on three major components during the life cycle of the waste management system i.e., collection and transportation, treatment or disposal and closure and post-closure care of treatment/disposal facility.

Collection and Transportation

 During the collection stage, the solid waste of the project will be segregated into biodegradable waste and non-biodegradable.
 Biodegradable waste and non biodegradable waste will be collected in separate bins. Biodegradable waste will be treated in the project premises by Organic waste convertor. The recyclable wastes will be sent off to recyclabers. Proper guidelines for segregation, collection and storage will be prepared as per MSW Rules, 2016.

- To minimize littering and odour, waste will be stored in well-designed containers/ bins that will be located at strategic locations to minimize disturbance in traffic flow
- Care would be taken such that the collection vehicles are well maintained and generate minimum noise and emissions. During transportation of the waste, it will be covered to avoid littering.




Figure 6: Waste Management Flow Diagram

Organic Waste Converter

A waste converter is a machine used for the treatment and recycling of solid and liquid refuse material. A converter is a self-contained system capable of performing the following functions: pasteurization of organic waste; sterilization of pathogenic or biohazard waste; grinding and pulverization of refuse into unrecognizable output; trash compaction; dehydration.

Benefits of organic waste converter:

- 1. Large quantity of solid waste is converted to manure in a very short period
- 2. Manure can be used as compost for gardening
- 3. Machine requires less space and the efficiency is high
- 4. Manpower and maintenance is very less
- 5. This is one of the latest techniques of managing biodegradable solid waste.

Operation cost of OWC:

Organic Waste Converter - 300 (Dim. $3m \times 4m$) is proposed to be used for composting waste 120 kg/batch or 3000 kg/day & it requires electricity of about 13.5 HP.

No. of batches day = 3000/120 = 25 batches/day.

No. of batches to convert 490 kg/day = 490/120 = 4.08 say 4 batches.

Operation Cost-monthly per capita:

The operating cost of OWC - 300 = 1,80,000 INR/month

Cost/day = 1, 80,000/30

= 6000/-

1 batch/day cost = 6000/25

= 240 INR

Cost for 4 batch/day = 4×240 /-

= 960/-

Monthly operating cost = 30×960 = Rs. 28,800/- per month

Disposal

With regards to the disposal/treatment of waste, the management will take the services of the authorized agency for waste management and disposal of the same on the project site during its operational phase.

10.2.5 EMP FOR ECOLOGICAL ENVIRONMENT

Construction activity changes the natural environment. The project requires the implementation of following choices exclusively or in combination.

Construction Stage

- Restriction of construction activities to defined project areas, which are ecologically sensitive
- Restrictions on location of temporary labor tents and offices for project staff near the project area to avoid human induced secondary additional impacts on the flora and fauna species
- Cutting, uprooting, coppicing of trees or small trees if present in and around
 the project site for cooking, burning or heating purposes by the labors will be
 prohibited and suitable alternatives for this purpose will be made
- Along with the construction work, the peripheral green belt would be developed with suggested native plant species, as they will grow to a fullfledged covered at the time of completion.

Operation Stage

Improvement of the current ecology of the project site will entail the following measures:

- Plantation and Landscaping
- Green Belt Development
- Park and Avenue Plantation

Annexure-IX

Photographs of construction of Wind Breaking wall of 10 mtrs. height for dust control

WIND BREAKING WALL



Front - Inside Barricading



Front side Barricading



Inside - Rear Road Barricading

Annexure-X

Environment Monitoring Reports i.e. AAQ, Noise, Water & soil and its interpretation



(Complete Test House For Testing of Environmental Sample)
NABL Accredited and MoEF&CC Approved Laboratory
ISO 9001: 2015 & OHSAS 18000 Certified

TEST REPORT

Issued to

M/s Asthetic Township Developers Pvt. Ltd. Apt. No. E-301, Unworld City, Sec-30 Gurgaon- 122002 Doc No. ELPL/IV/QF/20

Lab Reference No. Issue Date

Your Reference

Amend. No. & Amend. Date: 02 & 17.02.2018

200919003 A

: 24/09/2020 : Email

(Page1of 1)

Sample Particulars: Ambient Air Monitoring was done at Commercial Complex project at Sushant Lok, Sec- 27, Gurugram Haryana, from 18/09/2020 to 19/09/2020.

Type of sample Sampling Date Sampling Done by Quantity received

Sample's Location

Ambient Air

18/09/2020-19/09/2020 Lab representative

24 Hourly Sample Near Main Gate Sample Registration Date
Analysis Starting Date
Analysis Completion Date

Analysis Completion Date Tests Required Sampling Method 19/09/2020

19/09/2020 19/09/2020 24/09/2020

Mentioned below ELPL/III/SOP/21

S.No.	Test Parameters	Units	Results	NAAQS	Test Method
1	Particulate Matter as PM ₁₀	μg/m³	156	100 (24 Hourly)	IS 5182 (Pt-23)
2	Particulate Matter as PM _{2.5}	μg/m³	102	060 (24 Hourly)	ELPL/III/SOP/23
3	Sulphur Dioxide as SO ₂	µg/m³	12.4	080 (24 Hourly)	IS 5182 (Pt-02)
4	Oxides of Nitrogen as NO _X	µg/m³	29.8	080 (24 Hourly)	IS 5182 (Pt-06)
5	Carbon Monoxide as CO	mg/m ³	0.48	002 (08 Hourly)	IS 5182 (Pt-10)

*****END OF REPORT*****

Analyzed By (Vikash Kumar)

Checked By (Dr. Ramesh C. Tripathi) Authorized Signatory (Purushottam Kumar Sharma)

Authorised

Laboratory: D-79, Ground Floor, Sec-6, Noida-201301, U.P. (India) Email: BD@ecostepslab.com | www.ecostepslab.com | Tel: +91 120 4333226



(Complete Test House For Testing of Environmental Sample) NABL Accredited and MoEF&CC Approved Laboratory ISO 9001: 2015 & OHSAS 18000 Certified

TEST REPORT

Issued to

M/s Asthetic Township Developers Pvt. Ltd. Apt. No. E-301, Unworld City, Sec-30 Gurgaon- 122002

Doc No. ELPL/IV/QF/20

Amend. No. & Amend. Date: 02

& 17.02.2018

Lab Reference No. Issue Date Your Reference

200919004 N 24/09/2020

Email

(Page1of 1)

Sample Particulars: Ambient Noise Monitoring was done at Commercial Complex project at Sushant Lok, Sec- 27, Gurugram Haryana, from 18/09/2020 to 19/09/2020.

Type of sample Sampling Date Sampling Done by **Ambient Noise**

Sample Registration Date **Analysis Starting Date**

19/09/2020 19/09/2020

18/09/2020-19/09/2020 Lab representative

Analysis Completion Date

21/09/2020

Quantity received Sample's Location

24 Hourly Sample Near Main Gate

Tests Required Sampling Method Mentioned below ELPL/III/SOP/37

Time

Unit

Leq 63.0

Method ELPL/III/SOP/37

Day Time(06:00 am to 10:00 pm) Night Time(10:00 pm to 06:00 am)

dB (A) dB (A)

51.8

ELPL/III/SOP/37

		or Ambient Noise					
	As per Noise Pollution (Regulation & Control Rule-2	2000)				
Area Code	rea Code Category of Area/Zone Limits in dB (A) Leg*						
		Day time	Night time				
(A)	Industrial area	75	70				
(B)	Commercial area	65	55				
(C)	Residential area	55	45				
(D)	Silence Zone	50	40				
(5)	******END OF R		40				

*Leq: It is energy mean of the noise level over a specified period.

Analyzed By (Vikash Kumar)

(Dr. Ramesh C. Tripathi)

Authorized Signatory (Purushoftam Kumar Sharma)

Laboratory: D-79, Ground Floor, Sec-6, Noida-201301, U.P. (India) Email: BD@ecostepslab.com | www.ecostepslab.com | Tel: +91 120 4333226



(Complete Test House For Testing of Environmental Sample) NABL Accredited and MoEF&CC Approved Laboratory ISO 9001: 2015 & OHSAS 18000 Certified

TEST REPORT

Issued to

M/s Asthetic Township Developers Pvt. Ltd. Apt. No. E-301, Unworld City, Sec-30 Gurgaon- 122002



Doc No. ELPL/IV/QF/20 Lab Reference No.

Issue Date Your Reference Amend. No. & Amend Date: 02& 17.02.2018

: 200919001 W 24/09/2020

Email

Sample Particulars: R.O. water sample was collected at Commercial Complex project at Sushant Lok, Sec- 27, Gurugram Haryana on 19/09/2020.

Type of sample

R.O. Water

Sample Registration Date

19/09/2020

Sampling Date Sampling Done by

19/09/2020

Analysis Starting Date

19/09/2020

Quantity received

Lab representative

Analysis Completion Date

24/09/2020

Sample's Location

: 2 Ltr approx. Canteen

Tests Required Sampling Method Mentioned below ELPL/III/SOP/20

Page 1 of 2

	1:					Page 1 of 2
				IS 1050	0 : 2012	
					Permissible	1
					Limit in the	
S.No	Test Parameters	Units		Acceptable	Absence of	Test Method
			Results	Limit, max.	Alternate	
					source,	
					max.	
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	рН	-	6.89	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	30	500	2000	IS 3025 (Pt-16)
7	Ammonia (as total ammonia-N)	mg/l	BDL (DL0.1)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	1.6	75	200	IS 3025 (Pt-40)
10	Chloramines (as Cl ₂)	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	10	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	BDL (DL0.01)	1.0	1.5	APHA 23 rd Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2*	1*	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL (DL01.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds (as	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
	$C_6H_5OH)$, ,
16	Sulphate as SO₄	mg/l	1.6	200	400	IS 3025 (Pt-24)
17	Sulphide (as H ₂ S)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	10	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	8.0	200	600	IS 3025 (Pt-21)
20	Cyanide (as CN)	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminum (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA23 rd Ed.3120B
22	Barium (as Ba)	mg/l	BDL(DL 0.1)	0.7	No relaxation	APHA 23 rd Ed.3120B

(Vikash Kumar)

(Dr. Ramesh C. Tripathi)

Authorized Signatory (Purushottam Kumar Sharma) Signatory

Laboratory: D-79, Ground Floor, Sec-6, Noida-201301, U.P. (India)

Email: BD@ecostepslab.com | www.ecostepslab.com | Tel: +91 120 4333226



(Complete Test House For Testing of Environmental Sample)
NABL Accredited and MoEF&CC Approved Laboratory
ISO 9001: 2015 & OHSAS 18000 Certified

TEST REPORT

Issued to

M/s Asthetic Township Developers Pvt. Ltd. Apt. No. E-301, Unworld City, Sec-30 Gurgaon- 122002

10-65 18

Doc No. ELPL/IV/QF/20

Lab Reference No. Issue Date

: 200919001 W : 24/09/2020

Amend. No. & Amend.

Date: 02& 17.02.2018

Your Reference

Email

Sample Particulars: R.O. water sample was collected at Commercial Complex project at Sushant Lok, Sec- 27, Gurugram Haryana on 19/09/2020.

Type of sample

R.O. Water

Sample Registration Date

19/09/2020

Sampling Date
Sampling Done by

19/09/2020 Lab representative Analysis Starting Date
Analysis Completion Date

19/09/2020

Quantity received Sample's Location

2 Ltr approx. Canteen

Tests Required

24/09/2020Mentioned below

Sampling Method

ELPL/III/SOP/20

						Page 2 of 2
				IS 105	00 : 2012	
					Permissible	
S.No	Test Parameters	11			Limit in the	
0.140	rest Farameters	Units	D	Acceptable	Absence of	Test Method
			Results	Limit, max.	Alternate	
					source,	
23	Boron (as B)		DDI (DI 0.1)		max.	
		mg/l	BDL (DL 0.1)	0.5	1.0	APHA 23 rd Ed.3120B
24 25	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23 rd Ed. 3120B
	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	1.0	30	100	APHA 23 rd Ed.3500 mg B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23 rd Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23 rd Ed.3120B
30	Zinc (as Zn)	mg/l	BDL (DL 0.05)	5	15	APHA 23 rd Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23 rd Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.05)	0.01	No relaxation	APHA 23 rd Ed.3120B
33	Mercury (as Hg)	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23 rd Ed.3120B
34	Molybdenum (as MO)	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23 rd Ed.3120B
35	Nickel (as Ni)	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23 rd Ed.3120B
36	Total Arsenic (as As)	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23 rd Ed.3120B
37	Total Chromium (as Cr)	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23 rd Ed.3120B

*****END OF REPORT*****

Analyzed By (Vikash Kumar)

Checked By (Dr. Ramesh C. Tripathi)

Authorized Signatory (Purushottam Kumar Sharma)

Laboratory: D-79, Ground Floor, Sec-6, Noida-201301, U.P. (India) Email: BD@ecostepslab.com | www.ecostepslab.com | Tel: +91 120 4333226



(Complete Test House For Testing of Environmental Sample) NABL Accredited and MoEF&CC Approved Laboratory ISO 9001: 2015 & OHSAS 18000 Certified

TEST REPORT

Issued to

M/s Asthetic Township Developers Pvt. Ltd. Apt. No. E-301, Unworld City, Sec-30 Gurgaon- 122002

Doc No.

ELPL/IV/QF/20

Amend, No. & Amend Date: 02 & 17.02.2018

Lab Reference No. Issue Date

200919002 S

Your Reference

24/09/2020 : Email

(Page1of 1)

Sample Particulars: Soil sample was collected from at Commercial Complex project at Sushant Lok, Sec- 27, Gurugram Haryana on 19/09/2020.

Type of sample Sampling Date

Soil

19/09/2020

Sample Registration Date

19/09/2020 19/09/2020

Sampling Done by

Lab representative 1 Kg approx.

Analysis Starting Date Analysis Completion Date

24/09/2020 Mentioned below

Quantity received Sample's Location

Near Project Site

Tests Required Sampling Method

Grab Method

S.No.	Test Parameters	Unit	Result	Test Method
1	pH (1:5)	_	8.92	IS 2720(P-26)
2	Conductivity (1:5)	µmhos/cm	315	USDA Method
3	Color	-	Grey	USDA Method
4.	Texture		Sand Loam Silt	
	Silt	%	12	
	Clay	%	30	USDA Method
	Sand	%	58	
5	Sodium Absorption Ratio	-	0.51	USDA Method
6	Cation Exchange Capacity	Meq/100gm	51.6	IS 2720(P-24)
7	Porosity	%	43.8	USDA Method
8	Water Holding Capacity	%	40.9	USDA Method
9	Bulk Density	gm/cc	1.01	USDA Method
10	Chloride as CI	mg/kg	100	USDA Method
11	Calcium as Ca	mg/kg	7673	USDA Method
12	Sodium as Na	mg/kg	125	USDA Method
13	Potassium as K	mg/kg	215	USDA Method
14	Magnesium as Mg	mg/kg	1485	USDA Method
15	Organic matter	%	0.53	IS 2720(P-22)
16	Available Nitrogen	mg/kg	97.7	USDA Method
17	Phosphorous	mg/kg	53.3	USDA Method
	**	*****END OF REPOR	RT****	

Analyzed By (Vikash Kumar)

(Dr. Ramesh C. Tripathi)

Authorized Signatory (Purushottam Kumar Sharma)

uthorised

Laboratory: D-79, Ground Floor, Sec-6, Noida-201301, U.P. (India) Email: BD@ecostepslab.com | www.ecostepslab.com | Tel: +91 120 4333226

Environmental Monitoring Report

1. Ambient Air Quality Monitoring

Ambient air quality monitoring has been done at one location for one day at Project site. The detail of monitoring schedule is given in **Table-1**.

Table 1: Schedule of Ambient Air Quality Monitoring

Day of sampling (hours)		Da	nte	Sample collected on	Location
	(hours)	From	To		
Day 1	24	18/09/2020	19/09/2020	19/09/2020	Project site.

Sulphur Dioxide (SO₂)

Monitoring results of SO_2 are given in **Table-1** (a) and graphical representation is given in **Figure-1** (a)

Table- 1(a): Monitoring results for SO₂

Parameter	Location	Days	Results (μg/m³)	NAAQS Concentration in Ambient Air(μg/m³) Industrial, Residential, Rural and other Areas	Time Weighted Average
Sulphur Dioxide(SO ₂)	Project site.	Day 1	12.4	80	24 hours




Figure-1(a): SO₂ concentrations at Project site.

The concentration of SO₂ was observed below permissible Limit as per NAAQS.

Nitrogen Dioxide (NO₂)

Monitoring results of NO₂ is given in **Table-1** (b) and graphical representation is given in **Figure-1** (b)

Table-1 (b) Monitoring results for NO₂

Parameter	Location	Days	Results (μg/m³)	NAAQS Concentration in Ambient Air(µg/m³) Industrial, Residential, Rural and other Areas	Time Weighted Average
Nitrogen Dioxide(NO ₂)	Project site.	Day 1	29.8	80	24 hours




Figure 1 (b): NO₂ concentrations at Project site.

The concentration of NO₂ was below the limits as permissible limit as per NAAQS.

Particulate Matter

PM_{10} :

Monitoring results of PM_{10} is given in **Table-1(c)** and graphical representation is given in **Figure-1(c)**.

Table-1 (c): Monitoring results for PM₁₀

Parameter	Location	Days	Results (μg/m³)	NAAQS Concentration in Ambient Air(μg/m³) Industrial, Residential, Rural and other Areas	Time Weighted Average
Particular Matter Size Less than 10µm(PM 10)	Project site.	Day 1	156	100	24 hours




Figure 1 (c): PM₁₀ concentrations at Project site.

The concentration of PM₁₀ was found higher than permissible limit by NAAQS as there is some construction activity going on in surrounding area.

PM_{2.5}:

Monitoring results of $PM_{2.5}$ is given in **Table-1** (d) and graphical representation is given in **Figure-1** (d)

Table 1 (d): Monitoring results for PM_{2.5}

Parameter	Location	Days	Results (μg/m³)	NAAQS Concentration in Ambient Air (µg/m³) Industrial, Residential, Rural and other Areas	Time Weighted Average
Particular Matter Size Less than 2.5µm (PM _{2.5})	Project site.	Day 1	102	60	24 hours




Figure 1 (d): PM_{2.5} concentrations at Project Site

The concentration of $PM_{2.5}$ was found to be higher than permissible limit by NAAQS as some construction activity is going on in surrounding area.

Carbon Monoxide (CO)

Monitoring results of CO is given in **Table-1(e)** and graphical representation is given in **Figure-1(e)**.

Table -1 (e): Monitoring results for CO

Parameter	Location	Days	Results (mg/m³)	NAAQS Concentration in Ambient Air(mg/m³) Industrial, Residential, Rural and other Areas	Time Weighted Average
Carbon monoxide (CO)	Project site.	Day 1	0.48	2	8 hours




Figure 1 (e): CO concentrations at Project site.

The concentration of CO was within the limit as prescribed by NAAQS.

2. Noise Monitoring

Noise monitoring was done at one location for one day at Project site. The details of monitoring are given in **Table-(2)**

Day of	Duration of	Da	ate	Sample	
sampling	sampling (hours)	From	To	collected on	Location
Day 1	24	18/09/2020	19/09/2020	19/09/2020	Project site

Table (2): Schedule of Noise Monitoring

Monitoring has been done for 24 hours .The results for day time & night time observations are given below:

Day Time

Monitoring results of day time is given in Table- 2(a) and graphical representation is given in Figure- 2(a)

Table 2(a): Day Time monitoring results

	Result dB(A)	
Day	Day time (6:00 to 10:00	Permissible Limit dB(A) (as per CPCB)
	PM)	
Day 1	63.0	65




Figure 2(a): Graph showing day time noise monitoring results

The day noise result was found to be within the limit as prescribed by NAAQS.

Night Time

Monitoring results of night time is given in **Table-2(b)** and graphical representation is given in **Figure-2(b)**

<u>Table – 2(b): Night Time monitoring results</u>

Night	Result dB(A) Night Time (10:00 PM to 6:00 AM)	Permissible Limit dB(A) for commercial Area
Night 1	51.8	55




Figure 2(b): Graph showing night time noise monitoring results

The night noise result was found to be within the limit as prescribed by NAAQS.

3. RO Water Monitoring

Schedule for Drinking water monitoring is given in Table 3.

Table 3: Schedule for RO water sample collection

Day of sampling	Sample collected on	Location	
Day 1	19/09/2020	Project site	

Drinking water monitoring result is given in Table 3(a).

Table 3(a): - RO water monitoring results.

				IS 105	00: 2012	
S. No.	Test Parameters	Units	Result	Acceptable Limit, max.	Permissible Limit in the Absence of Alternate source, max.	Test Method
1	Color	Hazen	BDL (DL-5.0)	5	15	IS 3025 (Pt-04)
2	Odour		Agreeable	Agreeable	Agreeable	IS 3025 (Pt-05)
3	рН	_	6.89	6.5-8.5	No relaxation	IS 3025 (Pt-11)
4	Taste	_	Agreeable	Agreeable	Agreeable	IS 3025 (Pt-08)
5	Turbidity	NTU	BDL(DL-1.0)	1	5	IS 3025 (Pt-10)
6	Total Dissolved Solids	mg/l	30	500	2000	IS 3025 (Pt-16)
7	Ammonia (as N)	mg/l	BDL (DL0.1)	0.5	No relaxation	IS 3025 (Pt-34)
8	Anionic Detergents (as MBAS)	mg/l	BDL (DL0.1)	0.2	1.0	Annex K of IS 13428
9	Calcium as Ca	mg/l	1.6	75	200	IS 3025 (Pt-40)
10	Chloramines as Cl ₂	mg/l	BDL (DL0.1)	4.0	No relaxation	IS 3025 (Pt-26)
11	Chloride as Cl	mg/l	10	250	1000	IS 3025 (Pt-32)
12	Fluoride as F	mg/l	BDL (DL0.01)	1.0	1.5	APHA 22ND Ed 4500F
13	Free Residual Chlorine	mg/l	BDL (DL0.05)	0.2*	1*	IS 3025 (Pt-26)
14	Nitrate as NO ₃	mg/l	BDL (DL01.0)	45	No relaxation	IS 3025 (Pt-34)
15	Phenolic Compounds	mg/l	BDL (DL 0.001)	0.001	0.002	IS 3025 (Pt-43)
16	Sulphate as SO ₄	mg/l	1.6	200	400	IS 3025 (Pt-24)
17	Sulphide as H ₂ S	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-29)
18	Total Alkalinity as CaCO ₃	mg/l	10	200	600	IS 3025 (Pt-23)
19	Total Hardness as CaCO ₃	mg/l	8.0	200	600	IS 3025 (Pt-21)
20	Cyanide as CN	mg/l	BDL(DL 0.02)	0.05	No relaxation	IS 3025 (Pt-27)
21	Aluminiun (as Al)	mg/l	BDL(DL 0.01)	0.03	0.2	APHA 23ND Ed.3120B
22	Barium as Ba	mg/l	BDL(DL 0.1)	0.7	No relaxation	APHA 23ND Ed.3120B
23	Boron as B	mg/l	BDL (DL 0.1)	0.5	1.0	APHA 23ND Ed.3120B
24	Copper (as Cu)	mg/l	BDL(DL 0.02)	0.05	1.5	APHA 23ND Ed.3120B

Commercial Complex project at Sushant Lok, Sec- 27, Gurugram Haryana by M/S Asthetic Township Developers Pvt. Ltd.

25	Iron as Fe	mg/l	BDL (DL 0.05)	1.0	No relaxation	IS 3025 (Pt-53)
26	Magnesium as Mg	mg/l	1.0	30	100	APHA 23ND Ed.3500 mg B
27	Manganese as Mn	mg/l	BDL (DL 0.05)	0.1	0.3	APHA 23ND Ed.3120B
28	Selenium (as Se)	mg/l	BDL (DL 0.01)	0.01	No relaxation	APHA 23ND Ed.3120B
29	Silver (as Ag)	mg/l	BDL (DL 0.05)	0.1	No relaxation	APHA 23ND Ed.3120B
30	Zinc as Zn	mg/l	BDL (DL 0.05)	5	15	APHA 23ND Ed.3120B
31	Cadmium (as Cd)	mg/l	BDL (DL 0.001)	0.003	No relaxation	APHA 23ND Ed.3120B
32	Lead (as Pb)	mg/l	BDL (DL 0.05)	0.01	No relaxation	APHA 23ND Ed.3120B
33	Mercury as Hg	mg/l	BDL(DL0.001)	0.001	No relaxation	APHA 23ND Ed.3120B
34	Molybdenum as Mo	mg/l	BDL (DL 0.01)	0.07	No relaxation	APHA 23ND Ed.3120B
35	Nickel as Ni	mg/l	BDL(DL0.01)	0.02	No relaxation	APHA 23ND Ed.3120B
36	Total Arsenic as As	mg/l	BDL(DL 0.01)	0.01	No relaxation	APHA 23ND Ed.3120B
37	Total Chromium as Cr	mg/l	BDL(DL 0.03)	0.05	No relaxation	APHA 23ND Ed.3120B

4. Soil Monitoring

Soil sample was collected on 19/09/2020 from Near Project Site. Monitoring results are given in **Table 4.**


Table 4: Soil Monitoring Results

S. No.	Test Parameters	Unit	Results	Test Method	
1	pH(1:5)	-	8.92	IS 2720 (P-26)	
2	Conductivity(1:5)	μmhos/cm	315	USDA Method	
3	Color	-	Grey	USDA Method	
4	Texture		Sand Loam Silt		
5	Silt	%	12	USDA Method	
6	Clay	%	30	USDA Method	
7	sand	%	58		

Commercial Complex project at Sushant Lok, Sec- 27, Gurugram Haryana by M/S Asthetic Township Developers Pvt. Ltd.

8	Sodium absorption ratio	-	0.51	USDA Method
9	Cation exchange capacity	Meq/100gm	51.6	IS 2720 (P-24)
10	Porosity	%	43.8	USDA Method
11	Water Holding Capacity	%	40.9	USDA Method
12	Bulk Density	gm/cc	1.01	USDA Method
13	Chloride as Cl	mg/kg	100	USDA Method
14	Calcium as Ca	mg/kg	7673	USDA Method
15	Sodium as Na	mg/kg	125	USDA Method
16	Potassium as K	mg/kg	215	USDA Method
17	Magnesium as Mg	mg/kg	1485	USDA Method
18	Organic matter	%	0.53	IS 2720 (P-22)
19	Available Nitrogen	mg/kg	97.7	USDA Method
20	Phosphorous	mg/kg	53.3	USDA Method

Annexure-XI Landscape plan



Annexure-XII Photographs showing Excavated top soil is preserved

Photographs showing Excavated Top Soil






Annexure-XIII PUC Certificate

POLLUTION UNDER CONTROL CERTIFICATE

(All India Valid) दिल्ली सहित



Authorised By: Transport Commissioner Haryana

संख्या S. No. प्रमाणपत्र संख्या GGN,D-400000118 PUCC No. HR. वाहन पंजी संख्या HR1802BZ0285 Vehicle Reg. No. मेक Make MAIT मॉडल HR 180

Model

OTHERS वर्ग

Category

वर्ष

Year 2017

ईधन

DIESEL Fuel

दिनांक Date

23/MAY/2020

समय

12:48:54

Time

वैधत Valid upto

22/AUG/2020

Prescribe Pollution Checking Charges: Rs: Diesel 100/-, (Rate is 3 Month)

मुक्त त्वरण विधि द्वारा निर्धारित धूम्र धनत्व सीमा प्रमाणित किया जाता है कि 🚺 Prescribed Smoke Density at Free Acceleration इस वाहन को co उत्सर्जन

406	Z41. 4	TO COM	Flushing (Ĵγtd	ex 🐧					
1989			Mean	RP	M Max	RP	M Min.	ОТР		
	ार्धारित स्तर के	अनुसार		1	02756		00738			
है।			Cycle No.	%	- 11	K/	m	Max RPM	Min RPM	OTP
यदि	आपको को	T	1	4	040.1	·U	01.19	02826	80800	071
ुहै,	तोई कृपये		2	उ	043,1	_	01.31	02727	00751	072
	शिक, परिवहन		3		040,1		01.19	02725	00790	071
∕शुड़ग	<mark>गांवा 🍎 ह</mark> रियाण	ाँ) को		#	041.6		01.25	02753	00711	071
्रीलर ्	di Leto		Mean	04	1.20 %	01.	240 /m	PASS		071

In case of any Comments complaint Please write to Secretary, Régional Transport authority, Gurgaon (Haryana)

H PUC CENTRE

Name

OM PRAKASH PUC, (GGN,D-400)

अधिकृत केन्द्र कोड Authorised Center Code G G N - D 0 4 0 0

POLLUTION UNDER CONTROL CERTIFICATE

(All India Valid) दिल्ली सहित

अधिकृत परिवहन आयुक्त, हरियाणा

Authorised By: Transport Commissioner Haryana

मुक्त त्वरण विधि द्वारा निर्घारित धूम्र घनत्व सीमा संख्या **HSU = 65%** प्रमाणित किया जाता है कि Prescribed Smoke Density at Free Acceleration 2.46 1/m S. No. इस वाहन का co उत्सर्जन स्तर के. मो. वा. नियम Flushing (va प्रमाणपत्र संख्या GGN,D-400000120 1989 के नियम 115 (2) Wear RPM Max RPM Min. PUCC No. HR. में निर्धारित स्तर के अनुसार 02642 00720 000 वाहन पंजी संख्या PNE570147 Cycle No. है। HU K/m Max RPM Min RPM OTP Vehicle Reg. No. 041.4 01.24 यदि आपको कोई 02700 00771 071 मेक 040.1 01.19 है, तोंह 02798 00760 072 ATLAS COPCO 042.9 Make 01.30 02678 प्रादेशिक, परिव 00758 071 0427 01.27 02584 00755 071 Mean मॉडल XA187 041.60 % 01.250 /m PASS In case of any Comments complaint Please write to 071 Model **OTHERS** वर्ग Secretary, Regional Transport authority Gurgaon Category (Haryana) वर्ष 2017 Year हस्ताक्षरकर्ता र्डधन Authorised Signatory DIESEL SH PUC CENTRE Fuel दिनांक 23/MAY/2020 Name Date OM PRAKASH PUC. (GGN.D-400) 13:00:02 समय

Time

22/AUG/2020

Valid upto

वैधत

Prescribe Pollution Checking Charges : Rs : Diesel 100/-, (Rate is 3 Month)

अधिकृत केन्द्र कोड Authorised Center Code **G G N - D 0 4 0 0**



(All India Valid) दिल्ली सहित

POLLUTION UNDER CONTROL CERTIFICATE अधिकृत परिवहन आयुक्त, हरियाणा

Authorised By: Transport Commissioner Haryana

मुक्त त्वरण विधि द्वारा निर्धारित धूम्र घनत्व सीमा संख्या प्रमाणित किया जाता है कि Prescribed Smoke Density at Free Acceleration 2.46 1/m S. No. इस वाहन का co उत्सर्जन स्तर क. मो. वा. नियम Flushing Cycle प्रमाणपत्र संख्या GGN,D-400000117 1989 के नियम 115 (2) Mean PUCC No. HR. RPM Max RPM Min. OTP में निर्धारित स्तर के अनुसार वाहन पंजी संख्या _{PNA324403} 00616 000 Cycle No. K/m Max RPM Min RPM OTP Vehicle Reg. No. 043.1 01.31 03274 00593 यदि अएको को 071 मेक 041.9 01.26 03158 00629 तोँ कुपया 071 प्रादेशिक, परिवहन 040.1 Make 01.19 03205 00660 ATLAS COPCO 071 0414 01.24 गुडगांवा (हरियाणा) 03246 00623 071 मॉडल 041.60 % 01.250 /m PASS 071 **XAT 266** Model In case of any Comments complaint Please write to Secretary, Regional Trans-वर्ग **OTHERS** port authority Gurgaon Category (Haryana) वर्ष Year हस्ताक्षरकर्ता 2013 ईधन TAHTHOPISKARISKSTATYPUC CENTRE **DIESEL** Fuel Filling Station दिनांक 23/MAY/2020 Date OM PRAKASH PUC, (GGN,D-400)

समय

12:40:15

Time

वैधत 22/AUG/2020 Valid upto

Prescribe Pollution Checking Charges: Rs: Diesel 100/-, (Rate is 3 Month)

अधिकृत केन्द्र कोड Authorised Center Code G G N - D 0 4 0 0



POLLUTION UNDER CONTROL CERTIFICATE

(All India Valid) देल्ली सहित

Authorised By: Transport Commissioner Haryana अधिकृत परिवहन आयुक्त, हरियाणा

S. No प्रमाणपत्र संख्या

संख्या

GGN,D-400000116

इस वाहन का ८० उत्सजन प्रमाणित किया जाता है कि

> Prescribed Smoke Density at Free Acceleration मुक्त त्वरण विधि द्वारा निर्धारित धूम्र घनत्व सीमा

> > 2.46 1/m **HSU = 65%**

PUCC No. HR.

Vehicle Reg. No

वाहन पंजी संख्या 2830

में निर्धारित स्तर के अनुसार

के नियम 115 (2

PAE an

KPM Max RPM Min.

OTP

आपको कोई शिकायत

Cycle No.

% HU

111

Max RPM Min RPM

OTP

02540

08300

000

COMACHIO

Make मे

MC15

OTHERS

0483

01.31 01.31

02598 02675 02452 02546

00683 00738 26900 66900

071 071

01.330 /m PASS

043/1 045.0

01.31

071 071

07

ecretary

port authority Gurgaon Haryana) Regional Trans-यस्कर

HATTORICE ORGANIA

23/MAY/2020

Name

FORTH (L.

ad, Schna-12210: Filling Station

12:30:47

समय

Date

Fuel ईधन

DIESEL

MUMBRAGOSSIMATORUC CENTRE

हस्ताक्षरकतो

दिनांक

Year वर्ष

2017

Category

Model मॉडल

वैधत lime

22/AUG/2020

Valid upto

Prescribe Pollution Checking Charges : Rs : Diesel 100/-, (Rate is 3 Month)

OM PR4KASH PUC, (GGN,D-400)

Authorised Center Code G G N - D 0 4 0 0

OM PRAKSH POLLUTION CHECKING CENTRE C/o Jain Filling Station, Nuh-Alwar Road

Sohna-122103, Distt. Gurgaon (Hr.)

Scanned with CamScanne



POLLUTION UNDER CONTROL CERTIFICATE

(All India Valid)

अधिकृत परिवहन आयुक्त, हरियाणा

Authorised By: Transport Commissioner Haryana

मुक्त त्वरण विधि द्वारा निर्घारित धूम्र घनत्व सीमा HSU = 65% संख्या प्रमाणित किया जाता है कि 2.46 1/m ed Smoke Density at Free Acceleration S. No. इस वाहन का co उत्सर्जन स्तर क. मो. वा. नियम Flush प्रमाणपत्र संख्या GGN,D-400000119 1989 के नियम 115 (2) Mean RPM Max RPM Min. PUCC No. HR. में निर्धारित स्तर के अनुसार 02097 00650 000 वाहन पंजी संख्या нн3001125 Cycle No. ₩ HU है। K /m Max RPM Min RPM OTP Vehicle Reg. No. 042.4 01.28 02238 00672 071 यदि आपको कोई शिकायत 045 5 01.41 02275 00735 071 मेक कपया सचिव 042.1 01.27 प्रादेशिक, परिवहन प्राधिकारी 02205 00689 071 Make TEREX 01.31 02229 00676 072 043.30 % 01.320 /m PASS मॉडल 071 HEMAN125 Model complaint Please write to OTHERS वर्ग Secretary, Regional Transport authority Gurgaon Category (Haryana) वर्ष Year हस्ताक्षरकर्ता 2017 ईंधन Authorised Signator DIESEL Fuel दिनांक 23/MAY/2020 Name Date OM PRAKASH PUC, (GGN,D-400) समय 12:53:01 अधिकत केन्द्र कोड Time

वैघत 22/AUG/2020 Valid upto

Prescribe Pollution Checking Charges: Rs: Diesel 100/-, (Rate is 3 Month)

G G N - D 0 4 0 0 Authorised Center Code

Annexure-XIV Environment Management and Monitoring Plan

ENVIRONMENT MANAGEMENT PLAN AND ENVIRONMENT MONITORING PLAN

ENVIRONMENT MANAGEMENT PLAN

The Environment Management Plan (EMP) would consist of all mitigation measures for each component of the environment due to the activities increased during the construction, operation and the entire life cycle to minimize adverse environmental impacts resulting from the activities of the project. It would also delineate the environmental monitoring plan for compliance of various environmental regulations. It will state the steps to be taken in case of emergency such as accidents at the sites including fire. The detailed EMP for the complex is given below.

Environmental Management Plan

The Environment Management Plan (EMP) is a site specific plan developed to ensure that the project is implemented in an environmental sustainable manner where all contractors and subcontractors, including consultants, understand the potential environmental risks arising from the project and take appropriate actions to properly manage that risk. EMP also ensures that the project implementation is carried out in accordance with the design by taking appropriate mitigation actions to reduce adverse environmental impacts during its life cycle. The plan outlines existing and potential problems that may adversely impact the environment and recommends corrective measures where required. Also, the plan outlines roles and responsibility of the key personnel and contractors who will be in-charge of the responsibilities to manage the project site.

The EMP is generally

- > Prepared in accordance with rules and requirements of the MoEF and CPCB/SPCB
- > To ensure that the component of facility are operated in accordance with the design
- A process that confirms proper operation through supervision and monitoring
- ➤ A system that addresses public complaints during construction and operation of the facilities and
- A plan that ensures remedial measures is implemented immediately.

The key benefits of the EMP are that it offers means of managing its environmental performance thereby allowing it to contribute to improved environmental quality. The other benefits include cost control and improved relations with the stakeholders.

EMP includes four major elements:

- ➤ <u>Commitment & Policy:</u> The management will strive to provide and implement the Environmental Management Plan that incorporates all issues related to air, water, land and noise
- ➤ <u>Planning:</u> This includes identification of environmental impacts, legal requirements and setting environmental objectives.
- ➤ <u>Implementation:</u> This comprises of resources available to the developers, accountability of contractors, training of operational staff associated with environmental control facilities and documentation of measures to be taken.
- ➤ <u>Measurement & Evaluation:</u> This includes monitoring, counteractive actions and record keeping.

It is suggested that as part of the EMP, a monitoring committee would be formed by M/s Aesthetic Township Developers Pvt. Ltd., comprising of the site in-charge/coordinator, environmental group representative and project implementation team representative. The committee's role would be to ensure proper operation and management of the EMP including the regulatory compliance.

The components of the environmental management plan, potential impacts arising, out of the project and remediation measures are summarized below in **Table 1** and EMP for dust suppression is mentioned in **Table 2**.

TABLE 1: SUMMARY OF POTENTIAL IMPACTS AND REMEDIAL MEASURES

S. No.	Environmental components	Potential Impacts	Potential Source of Impact	Controls Through EMP & Design	Impact Evaluation	Preventive Measures
1.	Ground Water Quality	Ground Water Contamination		Mobile STP and treated sewage will be used for construction purposes.		
			Operation PhaseSewageDischarge from the project	• Proponent will provide the STP to treat the sewage of Project.		soil and ground water
2.	Ground Water Quantity	Ground Water Depletion	 Construction Phase Ground water will be not be used during construction. 	Not Applicable	No significant impact on ground water quantity envisaged.	
			 Operation Phase Groundwater will not during operation phase. The required water will be met 	 Storm water collection 	on surface/ground water quantity envisaged.	In an unlikely event of non-availability of water supply, water will be brought using tankers.

S. No.	Environmental components	Potential Impacts	Potential Source of Impact	Controls Through EMP & Design	Impact Evaluation	Preventive Measures
3.	Surface Water Quality	Surface water contamination	Construction Phase • Surface runoff from site during construction activity.	reduce the water consumption • Silt traps and other measures such as additional onsite diversion ditches will be constructed to control surface run-off during site development	envisaged as n o surface water	
			 Operation Phase Discharge of domestic wastewater to STP. 	Domestic water will be treated in STP	No off-site impact envisaged	Excess of water will be discharged as per CPCB standards.
4.	Air Quality	Dust Emissions	Construction Phase • All heavy construction activities		because dust generation will be temporary and will settle fast due to dust suppression	During construction phase the contractors are advised to facilitate masks for the labors. Water sprinklers will be used for suppression of dust during construction phase.
		Emissions of SPM, SO ₂ , NO ₂ and CO		•On-site construction and improved maintenance of equipment		Regular monitoring of emissions and control measures will be taken

S.	Environmental	Potential	Potential Source	Controls Through EMP	Impact Evaluation	Preventive Measures
No.	components	Impacts	of Impact	& Design		
				•Use of Low Sulphur diesel if available	Not significant	to reduce the emission levels. Regular monitoring of emissions and control
			 Power generation by DG Sets during power failure Emission from 	 Use of clean fuel if available Green belt will be developed with specific species to help to reduce PM level 		measures will be taken to reduce the emission levels.
			Construction Phase	 Use of equipment fitted with silencers Proper maintenance of equipment Provision of noise shields near the heavy construction operations and acoustic 		
			construction	enclosures for DG sets Construction activity will be limited to day time hours only		

S.	Environmental	Potential	Potential Source	Controls Through EMP	Impact Evaluation	Preventive Measures
No.	components	Impacts	of Impact	& Design		
5.	Noise Environment		 Operation Phase Noise from vehicular movement Noise from DG sets operation 	Green Belt Development shall make a barrier both for noise and air pollution.		
6.	Land Environment	Soil contamination	• Disposal of construction debris	Construction debris will be collected and suitably used on site.	No significant impact. Impact will be local, as waste generated will be reused for filling of low lying areas etc.	
			Operation Phase Dumping of municipal solid waste on land.	It is proposed that the solid waste generated will be managed by an authorized agency. Collection, segregation, transportation and disposal will be done as per Solid Waste Management Rules, 2016 by the authorized agency Organic waste converter	handled by the authorized agency, waste dumping is not going to be allowed. Not significant.	

S.	Environmental	Potential	Potential Source	Controls Through EMP	Impact Evaluation	Preventive Measures
No.	components	Impacts	of Impact	& Design		
				will be installed.		
7.	Biological Environment (Flora and Fauna)	Displacement of Flora and Fauna on site	Construction Phase Site Development during construction No tree at the site.	Additional tree will be planted as part of the green belt development.	The site has no tree.	
			Operation Phase Increase in green cover	Green belts will be developed as p er landscaping plan in and around the site using local flora	Beneficial impact.	
8.	Socio- Economic Environment	Employment and livelihood options.	Construction Phase Construction activities leading to gain in direct & indirect employment	Project development as per the Building bye laws.	No negative impact. 400 employment will be generated.	
			Operation Phase	• Project will provide employment opportunities to the local people in terms of labor during	Beneficial impact	

S.	Environmental	Potential	Potential Source	Controls Through EMP	Impact Evaluation	Preventive Measures
No.	components	Impacts	of Impact	& Design		
			Site operation	construction and service personnel (staff, securities, gardeners etc.) during operations • Providing quality-Integrated facility in Ghaziabad		
9.	Traffic Pattern	Increase of	Operation Phase	Internal Traffic	Beneficial impact	
		Vehicular traffic	Site operation	management plan		
			Operation PhaseTraffic due to people.	• Vehicular movement will be regulated inside the project with adequate roads and parking lots in the site.	No major significant impact	

TABLE 2: EMP FOR DUST SUPPRESSION

Sources/Process	Emission Potential	Scope of Control	Effectiveness
Hydraulic excavators and loaders (e.g. Front loader, backhoe face shovel bulldozers) for the excavation, lifting and movement of material such as S oil, overburden.	silty material are being handled, particularly during strong windy weather	Use of water sprays to moisten material being handled. Soils may be subject to a soil moisture content planning condition Minimize drop heights when unloading material. Protect from exposure to wind where possible.	Moderate
Tractor scrapers (Soil strippers) for cutting, lifting transporting and placing, spreading or shaping of soils	silty materials handled	Use of water sprays to moisten material being handled.	Low
Vehicles for transport of material within the site.		transportation distances. Use of water sprays to moisten road surfaces during	High
		dry weather. Use mechanical road sweepers during dry weather, to limit visible dust emissions. R estrict vehicle speeds through signage/staff training.	
		Use of covered conveyors to transport material around the site.	
Hydraulic breakers for size reduction of large rocks	Low	Water spraying of rock prior to fragmentation when high degree of control required.	
Exhausts and cooling fans on mobile plant	High if unmitigated.	Mobile plant exhausts and cooling fans will discharge	

Sources/Process	Emission Potential	Scope of Control	Effectiveness
processing quarried material.		above the horizontal to prevent dust mobilization.	
Conveyors for transporting material	Moderate if not protected from wind	Enclosure of transfer points (including roofing) of conveyors.	High
	Moderate/High for dry or fine silty materials, particularly during strong	Wind boarding. Water spraying of surfaces of material on conveyor.	High High/Moderate
	wind weather	Cleaning belts with scrapers and collecting scrapings in container.	Moderate
Stockpiles for storage of quarried materials and soil/overburden during extraction and site development	silty materials are being stored /handled particularly during strong	*	High
phases.	weather.	Limit mechanical disturbance.	
		Shield from wind e.g. through the use of tree planting or screening	
		Use of water sprays to moisten surfaces during dry weather.	Moderate

ENVIRONMENTAL MONITORING

The purpose of environmental monitoring is to evaluate the effectiveness of implementation of Environmental Management Plan (EMP) by periodic monitoring. The important environmental parameters within the impact area are selected so that any adverse affects are detected and time action can be taken. The project proponent will monitor ambient air Quality, Ground Water Quality and Quantity, and Soil Quality in accordance with an approved monitoring schedule mentioned in **Table 3**.

Table 3: Environmental Monitoring Schedule for Compliance

S. No	Particulars	Monitoring Frequency	Duration of Sampling	Important Monitoring Parameters
1	Ambient Air Qua	lity Monitoring	1	
	Project site	Once in 6 Months	24 hr continuously except CO (8 hourly)	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ & CO
3	Ambient Noise Le	evel		
	Near DG set	Once in 6 Months	8 hr continuous with 1 hr interval	Noise level in dB(A)
4	Ground/Drinking	Water Quality Mor	nitoring	
	Ground Water – (If applicable)	Once in 6 Months	Grab Sampling	Parameters specified under IS:10500, 2012
5	Soil Quality			
	At the green belt area	Twice in a year	Samples will be collected from three different depths viz., 30cm, 60cm, and 100cm below the surface	Parameter for soil quality: pH, texture, electrical conductivity, organic matter, nitrogen, phosphate, sodium, calcium, potassium and Magnesium.

Annexure-XV Receiving of Previous Compliance Report of JUNE, 2020

ASTHETIC TOWNSHIP DEVELOPERS PRIVATE LIMITED

Reg Office- 262, DDA OFFICE COMPLEX, JHANDEWALA EXT, NEW DELHI - 110055

Letter Ref. No. APL/P/20/008

Date: 25/06/2020

To,
The Director,
Northern Regional Office (MoEF&CC),
Bays No. 24 -25, Sector- 31-A,
Dakshin Marg,
Chandigarh - 160030

Subject: Submission of six-monthly Compliance report of June-2020 for the Commercial Colony admeasuring 2.851 acres, Sector-27, Gurugram, Haryana with License No 97 of 2011 dated 09.11.2011 developed by M/s. Asthetic Township Developers Pvt. Ltd.

Reference: EC Letter No.: 21-137 /2018-IA-III; dated 07/02/2019.

Dear Sir,

This is with reference to the above-mentioned subject. We are herewith submitting six monthly compliance Report of "June-2020" (1st October 2019 – 31st March 2020) for the Commercial Colony Project admeasuring 2.851 acres at Sector-27, Gurugram, Haryana along with the necessary annexure for your kind perusal.

We understand that the above is in line with requirement of Ministry of Environment, Forest and Climate Change.

Thanking You,

Sincerely Yours,

For M/s. Asthetic Township Developers Pvt. Ltd.

(Authorized Signatory)


Mukesh God


Enclosure: Compliance Report; Soft copy of Report in C.D

Copy to: 1. Member Secretary, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula, Haryana

2. Member Secretary, SEIAA, Haryana Bays No. 55 - 58, Paryatan Bhawan, 1st floor, Sector 2, Panchkula, Haryana 134115

CIN NO. U45201DL2006PTC147126 Email: asthetic64@gmail.com







Purushottam Sharma <aeplenviro@amcgroup.co.in>

Submission of six-monthly compliance report of June 2020 (1st October 2019 - 31st March 2020) for the commercial colony project admeasuring 2.851 acres, Sector-27, Gurugram, Haryana with License No. 97 of 2011dated: 09/11/2011

1 message

Ascenso Enviro <aeplenviro@amcgroup.co.in>

Sat, Jun 27, 2020 at 5:33 PM

To: ronz.chd-mef@nic.in

Cc: ascensobackup@gmail.com

Bcc: hspcb@hry.nic.in, hspcbho@gmail.com, seiaa.hry@gmail.com

Reference: EC Letter No.: 21-137 / 2018-IA-III: Dated: 07/02/2019

Respected Sir,

This is with reference to the above-mentioned subject. We are herewith submitting the six-monthly Compliance report for our Project Commercial Colony admeasuring 2.851 acres at Sector-27, Gurugram, Haryana.

Thanking you

M/s. Asthetic Township Developers Pvt. Ltd.

Thanks & Regards,

Project Team

Mobile: +91 8799760792



Corporate Office:

Ascenso Enviro Private Limited

11/24/20	AMC Group Mail - Submission of six-monthly compliance report of June 2020 (1st October 2019 - 31st March 2020) for the commercial
D-7	'9, Second Floor
Sec	ctor-6, Noida
Utt	ar Pradesh-201301 (India)
Ph	: +91 120-433 3226

Registered Office:

Unit No-334, Third Floor

Plot No-1, LSC

Vardhman Sunrise Plaza

Vasundhara Enclave

Delhi- 110096(India)

Error! Hyperlink reference not valid.




A Please consider the environment before printing this email

This email and any attachments, including replies and forwarded copies, are intended only for the use by the addressee. It may contain confidential or legally privileged information. If you have received this communication unintentionally, please notify the sender immediately by reply email and delete this message and all attachments from your system. Thanking you for your cooperation and understanding.

EC Compliance Report-Aesthetic township developers pvt ltd. Sector 27, gurugram.pdf 7490K

Annexure-XVI AAI NOC



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

Date: 25-03-2019

Valid Upto: 24-03-2027

262, DDA Office Complex, Jhandewalan Extn, New Delhi-110055

No Objection Certificate for Height Clearance

- 1. This NOC is issued by Airports Authority of India (AAI) in pursuance of responsibility conferred by and as per the provisions of Govt, of India (Ministry of Civil Aviation) order GSR751 (E) dated 30th Sep. 2015 for Safe and Regular Aircraft Operations.
- 2. This office has no objection to the construction of the proposed structure as per the following details:

NOC ID :	PALM/NORTH/B/030819/377136
Applicant Name*	Satya Pal Singh
Site Address*	Proposed Commercial colony on site admeasuring 11537.57 Sq. Meter located at Sector-27, Rect No. 59, Village –Sukhrali, Gurugram, Haryana, Sukhrali, Gurgaon, Haryana
Site Coordinates*	77 04 26.27-28 27 57.54, 77 04 26.95-28 27 59.06, 77 04 26.98-28 27 55.15, 77 04 26.98-28 27 57.11, 77 04 29.45-28 27 57.08, 77 04 29.48-28 27 55.11, 77 04 30.08-28 27 57.93, 77 04 30.55-28 27 55.13, 77 04 31.77-28 27 59.03, 77 04 31.80-28 27 56.10
Site Elevation in mtrs AMSL as submitted by Applicant*	241.95 M
Permissible Top Elevation in mtrs Above Mean Sea Level(AMSL)	346.95M

^{*}As provided by applicant

- 3. This NOC is subject to the terms and conditions as given below:
- a. Permissible Top elevation has been issued on the basis of Site coordinates and Site Elevation submitted by Applicant. AAI neither owns the responsibility nor authenticates the correctness of the site coordinates & site elevation provided by the applicant. If at any stage it is established that the actual data is different, this NOC will stand null and void and action will be taken as per law. The office in-charge of the concerned aerodrome may initiate action under the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994"
- b. The Site coordinates as provided by the applicant in the NOC application has been plotted on the street view map and satellite map as shown in ANNEXURE. Applicant/Owner to ensure that the plotted coordinates corresponds to his her site. In case of any discrepancy, Designated Officer shall be requested for cancellation of the NOC.
- c. Airport operator or his designated representative may visit the site (with prior coordination with applicant or owner) to ensure that NOC terms & conditions are complied with a prior coordination with applicant or owner) to ensure that NOC terms &
- d. The Structure beight (including any superstructure) shall be calculated by subtracting the Site—elevation in AMSL from the Permissible Top Elevation in AMSL i.e. Maximum Structure Height Permissible Top Elevation minus (-) Site Elevation.
- e. The issue of the 'NOC' is further subject to the provisions of Section 9-A of the Indian Aircraft Act, 1934 and any notifications issued there under from time to time including the Aircraft (Demolition of Obstruction caused by Buildings and Trees etc.) Rules, 1994.

क्षेत्रीय मुख्यालय उत्तरी क्षेत्र, परिचालन कार्यालय परिसर रंगपुरी, नई दिल्ली - 110037 दूरभान संख्या - 91-11-25653566 Regional headquarter Northern Region, Operational Offices Complex Rangpuri, New Delhi-110 037 Tel: 91-11-25653566

" हिंदी पत्रों का स्वागत है "

कं के ए कबीर / K. K. A. KABIR
महाप्रबंधक (बाव वादावाद प्रबचन-उत्तरी क्षेत्र) | General Manager (ATM), NR
भारतीय विगानपत्तन प्राधिकरण | Airports Authority of India
प्रवातन कार्यात्व / Operational Offices

कार्यात कार्यात्व (Operational Offices)



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

- f. No radio/TV Antenna, lighting arresters, staircase, Mumtee, Overhead water tank and attachments of fixtures of any kind shall project above the Permissible Top Elevation of 346.95M (AMSL), as indicated in para 2.
- g. Use of oil, electric or any other fuel which does not create smoke hazard for flight operations is obligatory, within 8 KM of the Aerodrome Reference Point.
- h. The certificate is valid for a period of 8 years from the date of its issue. One time revalidation without assessment may be allowed, provided construction work has commenced, subject to the condition that such request shall be made within the validity period of the NOC and the delay is due to circumstances which are beyond the control of the developer.
- i. No light or a combination of lights which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the Airport shall be installed at the site at any time, during or after the construction of the building. No activity shall be allowed which may affect the safe operations of flights
- j. The applicant will not complain/claim compensation against aircraft noise, vibrations, damages etc. caused by aircraft operations at or in the vicinity of the airport.
- k. Day markings & night lighting with secondary power supply shall be provided as per the guidelines specified in chapter 6 and appendix 6 of Civil Aviation Requirement Series B Part I Section 4, available on DGCA India website: www.dgca.nic.in
- 1. The applicant is responsible to obtain all other statutory clearances from the concerned authorities including the approval of building plans. This NOC for height clearances is to ensure the safe and regular aircraft operations and shall not be used as document for any other purpose/claim whatsoever, including ownership of land etc.
- m. This NOC has been issued w.r.t. the Civil Airports. Applicant needs to seek separate NOC from Defence, if the site lies within their jurisdiction. Applicants also need to seek clearance from state Govt. as applicable, for sites which lies in the jurisdiction of unlicensed aerodrome as outlined in Rule 13 of GSR751 (E)
- n. In case of any discrepancy/interpretation of NOC letter, English version shall be valid.
- o. In case of any dispute w.r.t site elevation and/or AGL height, top elevation in AMSL shall prevail.

Chairman NOC Committee

Region Name:

NORTH

Address:

General Manager Airports Authority of India, Regional Headquarter, Northern Region, Operational Offices, Gurgaon Road, New Delhi-110037

Email ID:

noc nr@aai.aero

Contact No:

011-25653551

Kkalur 25/03/19

के के ए कबीर / K. K. A. KABIR महाप्रबंधक (वाब् याताबात प्रबन्धन-सत्तरी क्षेत्र)/General Manager (ATM), NR प्रचालन कार्बालय/Opera

रंगपुरी, गुरुवान चेंड, नई दिल्ली-37/Rangpuri, Gurugram Road, New Delhi-37

Name / Designation / Sign with Date

Prepared By

Verified By:

क्षेत्रीय मुख्यालय उत्तरी क्षेत्र, परिचालन कार्यालय परिसर रंगपुरी, नई दिल्ली - 110037 दूरभाष संख्या - 91-11-25653566 Regional headquarter Northern Region. Operational Offices Complex Rangpuri, New Delhi-110 037 Tel: 91-11-25653566 " हिंदी पत्रों का स्वागत है |"

Distance From Nearest Airport And Bearing

Airport Name	Distance (Meters) from Nearest ARP	Bearing (Degree) from Nearest ARP			
I.G.I Airport	11897.44	196.42			
Rohini Heliport	31696.15	175,98			
Safdarjung Airport	18348.83	223.29			
NOCID	PALM/NORTH/B/030819/	NORTH/B/030819/377136			

Street view



March 9 2019

7 9 13 500 0 12 mg

Satellite View



March 8 2019



भारतीय विमानपत्तन प्राधिकरण AIRPORTS AUTHORITY OF INDIA

File No. AAI/RHQ/NR/ATM/NOC/ 2019/117/527-530

Copy to:

1. The Distt. Town Planner, Gurgaon, HUDA, Complex, Sector-14, Gurgaon, Haryana.

2. The Chief Executive Officer, Delhi International Airport, New Uddan Bhawan, I.G.I Airport Terminal -3, New Delhi-110037.

3. Guard file,

Annexure-XVII Electricity Approval for construction.

Office of the

Executive Engineer, Electrical Inspectorate, Haryana, Block C-2, Sushant Lok-I, Huda Primary School Building, Gurugram (e-mail: xenceiggn@gmail.com).

To

M/s S.S Construction Co.

C/o M/s Asthetic Township Developers Pvt. Ltd.

Sector-27. Near Millenium Plaza,

Gurugram

Memo No:

H.T.I/ 14/10

Dated:

Subject:

Inspection of HT installation comprising of 1x200 KVA 11/0.433KV T/F installed at

S.S Construction Co., Gurugram.

The subject cited installation was inspected by this department on 21.08.2020 and the same was found generally complying with the relevant provisions of CEA (Measures Relating to Safety and Electric Supply) Regulations, 2010.

The following observations be attended under intimation to this office:

1. Earth pits be maintained and marked properly for identification.

Approval for energisation of the subject cited installations is hereby accorded subject to consistent compliance of the relevant provisions of CEA Regulations, 2010 in the installation at your end. Please note that it shall be the responsibility of the owner of electrical installations to maintain and operate the installations in a condition free from danger and as recommended by the manufacturer or by the relevant code of practice of the Bureau of Indian Standards.

Your next inspection shall fall due in the month of August every year. You are therefore requested to deposit inspection fee as per schedule under the Head of A/c "0043-Taxes and Duties on Electricity Fees payable under I.E Rules, 1956" and send the original receipted treasury challan to this office one month before the due date.

Executive Engineer

Electrical Inspectorate, Haryana, Qurugram.

Garageram

CC: The SDO/AGM OP S/Divn., DHBVN, DLF S/Divn., Gurugram for information and necessary action.

Annexure-XVIII RMC Detail

RMC QUANTITY UP TO SEP 2020						
S.NO.	GRADE OF CONCRETE	REMARKS				
1	M-7.5	454.50				
3	M-30	3080.50				
4	M-35	406.00				
2	M-40	13.50				
5	M-60	214.75				
5	M-5	112.50				
	TOTAL AMOUNT	4,282				

Name of Project : Asthetic Township Developers Private Limited

RMC M-7.5 Purchased

Sr. Nos.	VENDOR'S NAME	Invoice NO.	Invoice DATE	UOM	QТY.
	RMC M-7.5 purchased in May & June'2020				
1	Rise Eleven	403	29-May-20	Cum.	6.00
2	Rise Eleven	412	29-May-20	Cum.	5.00
3	ACC	NS2P062001000339	21-Jun-20	Cum.	4.00
4	ACC	NS2P062001000344	23-Jun-20	Cum.	5.00
5	ACC	NS2P062001000347	23-Jun-20	Cum.	4.00
6	ACC	NS2P062001000417	29-Jun-20	Cum.	6.00
7	ACC	NS2P062001000424	29-Jun-20	Cum.	6.00
8	ACC	NS2P062001000443	30-Jun-20	Cum.	5.00
9	Rise Eleven	678	08-Jun-20	Cum.	5.00
10	Rise Eleven	681	08-Jun-20	Cum.	6.00
11	Rise Eleven	682	08-Jun-20	Cum.	6.00

12	Rise Eleven	683	08-Jun-20	Cum.	6.00
13	Rise Eleven	743	11-Jun-20	Cum.	4.00
	RMC M-7.5 purchased in July'2020				
1	ACC	NS2P062001000451	01-Jul-20	Cum.	4.50
2	ACC	NS2P062001000467	03-Jul-20	Cum.	6.50
3	ACC	NS2P062001000468	03-Jul-20	Cum.	6.00
4	ACC	NS2P062001000469	03-Jul-20	Cum.	4.00
5	ACC	NS2P062001000473	04-Jul-20	Cum.	4.00
6	ACC	NS2P062001000474	04-Jul-20	Cum.	3.50
7	ACC	NS2P062001000510	07-Jul-20	Cum.	6.00
8	ACC	NS2P062001000511	07-Jul-20	Cum.	6.00
9	ACC	NS2P062001000530	08-Jul-20	Cum.	6.00
10	ACC	NS2P062001000540	09-Jul-20	Cum.	5.00
11	ACC	NS2P062001000541	09-Jul-20	Cum.	4.00
12	ACC	NS2P062001000554	10-Jul-20	Cum.	5.00
13	ACC	NS2P062001000598	13-Jul-20	Cum.	5.00
14	PRISM JOHNSON LTD.	6107461759	27-Jul-20	Cum.	4.00
15	ULTRATECH	6968	19-Jul-20	Cum.	6.50
16	ULTRATECH	950706754	25-Jul-20	Cum.	4.00
	RMC M-7.5 August 2020				
	PRISM JOHNSON LTD.	6107461893	02-Aug-20	Cum.	4.00
	PRISM JOHNSON LTD.	6107461895	03-Aug-20	Cum.	6.50

PRISM JOHNSON LTD.	6107461896	03-Aug-20	Cum.	6.50
PRISM JOHNSON LTD.	6107461897	03-Aug-20	Cum.	6.50
PRISM JOHNSON LTD.	6107461898	03-Aug-20	Cum.	5.00
PRISM JOHNSON LTD.	6107461918	05-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461919	05-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461920	05-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461921	05-Aug-20	Cum.	6.00
Rise Eleven	2269	07-Aug-20	Cum.	5.00
PRISM JOHNSON LTD.	6107461992	11-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461999	11-Aug-20	Cum.	4.00
PRISM JOHNSON LTD.	6107462067	16-Aug-20	Cum.	4.00
PRISM JOHNSON LTD.	6107462072	16-Aug-20	Cum.	3.00
PRISM JOHNSON LTD.	6107462109	18-Aug-20	Cum.	4.50
ULTRATECH	7679	25-Aug-20	Cum.	5.00
ULTRATECH	7682	25-Aug-20	Cum.	5.00
ULTRATECH	7683	25-Aug-20	Cum.	5.00
ULTRATECH	7687	25-Aug-20	Cum.	5.00
ULTRATECH	7688	25-Aug-20	Cum.	4.50
PRISM JOHNSON LTD.	6107462190	26-Aug-20	Cum.	4.00
PRISM JOHNSON LTD.	6107462220	27-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462222	27-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462224	27-Aug-20	Cum.	5.00

PRISM JOHNSON LTD.	6107462244	28-Aug-20	Cum.	6.00
ULTRATECH	8334	31-Aug-20	Cum.	4.00
RMC M-7.5 Se	eptember 2020			
ULTRATECH	950707931	01-Sep-20	Cum.	4.00
ULTRATECH	950708021	03-Sep-20	Cum.	6.00
ULTRATECH	950708022	03-Sep-20	Cum.	6.00
ULTRATECH	950708023	03-Sep-20	Cum.	6.00
ULTRATECH	950708027	04-Sep-20	Cum.	4.00
ULTRATECH	950708029	04-Sep-20	Cum.	3.00
Rise Eleven	20-21/MED/3121	04-Sep-20	Cum.	6.00
ULTRATECH	950708055	05-Sep-20	Cum.	4.00
ULTRATECH	950708056	05-Sep-20	Cum.	4.00
Rise Eleven	20-21/MED/3239	06-Sep-20	Cum.	4.00
ULTRATECH	8168	08-Sep-20	Cum.	5.00
ULTRATECH	8179	09-Sep-20	Cum.	5.00
ULTRATECH	8182	09-Sep-20	Cum.	3.00
ULTRATECH	951802924	09-Sep-20	Cum.	5.00
ULTRATECH	3210	11-Sep-20	Cum.	6.00
ULTRATECH	8825	11-Sep-20	Cum.	4.50
ULTRATECH	8304	12-Sep-20	Cum.	3.00
ULTRATECH	8875	12-Sep-20	Cum.	5.00
ULTRATECH	8880	12-Sep-20	Cum.	5.00

ULTRATECH	8442	15-Sep-20	Cum.	6.00
ULTRATECH	8443	15-Sep-20	Cum.	6.00
ULTRATECH	8445	15-Sep-20	Cum.	4.00
ULTRATECH	609068	16-Sep-20	Cum.	6.00
ULTRATECH	609073	16-Sep-20	Cum.	6.00
ULTRATECH	950708512	18-Sep-20	Cum.	6.00
ULTRATECH	950708518	18-Sep-20	Cum.	3.00
ACC	NS2P062001001611	22-Sep-20	Cum.	6.00
ACC	NS2P062001001612	22-Sep-20	Cum.	4.50
ACC	NS2P062001001670	25-Sep-20	Cum.	6.00
Nuvoco	200710015534	25-Sep-20	Cum.	6.00
Nuvoco	200710015559	25-Sep-20	Cum.	6.00
Nuvoco	200710015589	25-Sep-20	Cum.	6.00
Nuvoco	200710015630	26-Sep-20	Cum.	6.00
Nuvoco	200710015678	26-Sep-20	Cum.	6.00
TOTAL QUA	NTITY OF M 7.5			454.50

Name of Project : Asthetic Township Developers Private Limited

RMC M-30 Purchased

Sr. Nos.	VENDOR'S NAME	Invoice NO.	Invoice DATE	иом	qтγ.
	RMC M-30 purchased in June'2020				

Ì			ן ,	I	
1	ACC	NS2P062001000276	15-Jun-20	Cum.	6.00
2	ACC	NS2P062001000277	15-Jun-20	Cum.	6.00
3	ACC	NS2P062001000279	15-Jun-20	Cum.	6.00
4	ACC	NS2P062001000280	15-Jun-20	Cum.	6.00
5	ACC	NS2P062001000283	15-Jun-20	Cum.	6.00
6	ACC	NS2P062001000285	15-Jun-20	Cum.	6.00
7	ACC	NS2P062001000286	15-Jun-20	Cum.	6.00
8	ACC	NS2P062001000293	16-Jun-20	Cum.	6.00
9	ACC	NS2P062001000294	16-Jun-20	Cum.	6.00
10	ACC	NS2P062001000295	16-Jun-20	Cum.	6.00
11	ACC	NS2P062001000296	16-Jun-20	Cum.	6.00
12	ACC	NS2P062001000298	16-Jun-20	Cum.	6.00
13	ACC	NS2P062001000299	16-Jun-20	Cum.	6.00
14	ACC	NS2P062001000300	16-Jun-20	Cum.	6.00
15	ACC	NS2P062001000305	17-Jun-20	Cum.	4.00
16	ACC	NS2P062001000312	18-Jun-20	Cum.	2.50
17	ACC	NS2P062001000359	24-Jun-20	Cum.	6.00
18	ACC	NS2P062001000361	24-Jun-20	Cum.	6.00
19	ACC	NS2P062001000362	24-Jun-20	Cum.	6.00
20	ACC	NS2P062001000365	24-Jun-20	Cum.	3.00
21	ACC	NS2P062001000401	27-Jun-20	Cum.	3.00
22	ACC	NS2P062001000434	30-Jun-20	Cum.	6.50

23	ACC	NS2P062001000435	30-Jun-20	Cum.	6.50
24	ACC	NS2P062001000441	30-Jun-20	Cum.	5.00
25	ACC	NS2P062001000442	30-Jun-20	Cum.	4.75
	RMC M-30 pt	urchased in July'2020			
1	ACC	NS2P062001000457	02-Jul-20	Cum.	6.00
2	ACC	NS2P062001000460	02-Jul-20	Cum.	6.00
3	ACC	NS2P062001000464	02-Jul-20	Cum.	6.00
4	ACC	NS2P062001000465	02-Jul-20	Cum.	6.00
5	ACC	NS2P062001000466	02-Jul-20	Cum.	4.00
6	ACC	NS2P062001000472	04-Jul-20	Cum.	7.00
7	ACC	NS2P062001000480	05-Jul-20	Cum.	6.00
8	ACC	NS2P062001000484	05-Jul-20	Cum.	6.50
9	ACC	NS2P062001000486	05-Jul-20	Cum.	6.50
10	ACC	NS2P062001000538	09-Jul-20	Cum.	6.00
11	ACC	NS2P062001000539	09-Jul-20	Cum.	6.00
12	ACC	NS2P062001000555	11-Jul-20	Cum.	6.00
13	ACC	NS2P062001000556	11-Jul-20	Cum.	6.00
14	ACC	NS2P062001000558	11-Jul-20	Cum.	6.00
15	ACC	NS2P062001000559	11-Jul-20	Cum.	6.00
16	ACC	NS2P062001000560	11-Jul-20	Cum.	6.00
17	ACC	NS2P062001000561	11-Jul-20	Cum.	6.00
18	ACC	NS2P062001000562	11-Jul-20	Cum.	6.00

19	ACC	NS2P062001000563	11-Jul-20	Cum.	6.00
20	ACC	NS2P062001000564	11-Jul-20	Cum.	6.00
21	ACC	NS2P062001000565	11-Jul-20	Cum.	6.00
22	ACC	NS2P062001000567	11-Jul-20	Cum.	6.00
23	ACC	NS2P062001000569	11-Jul-20	Cum.	6.00
24	ACC	NS2P062001000570	11-Jul-20	Cum.	6.00
25	ACC	NS2P062001000571	11-Jul-20	Cum.	6.00
26	ACC	NS2P062001000573	11-Jul-20	Cum.	2.00
27	ACC	NS2P062001000574	11-Jul-20	Cum.	2.00
28	ACC	NS2P062001000575	11-Jul-20	Cum.	4.50
29	ACC	NS2P062001000585	12-Jul-20	Cum.	6.00
30	ACC	NS2P062001000586	12-Jul-20	Cum.	4.00
	PRISM JOHNSON LTD.	6107461471	15-Jul-20	Cum.	7.00
	PRISM JOHNSON LTD.	6107461472	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461473	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461474	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461475	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461476	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461477	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461478	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461479	15-Jul-20	Cum.	6.00
	PRISM JOHNSON LTD.	6107461480	15-Jul-20	Cum.	6.00

PRISM JOHNSON LTD.	6107461481	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461482	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461483	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461484	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461485	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461486	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461487	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461488	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461489	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461490	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461491	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461492	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461493	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461494	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461495	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461496	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461497	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461498	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461499	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461500	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461501	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461502	15-Jul-20	Cum.	6.00

PRISM JOHNSON LTD.	6107461503	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461504	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461505	15-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461506	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461507	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461508	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461509	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461510	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461511	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461512	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461513	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461514	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461515	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461516	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461517	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461519	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461520	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461521	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461524	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461526	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461528	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461530	16-Jul-20	Cum.	6.00

PRISM JOHNSON LTD.	6107461532	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461534	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461535	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461537	16-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461538	16-Jul-20	Cum.	5.00
PRISM JOHNSON LTD.	6107461549	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461550	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461552	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461554	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461557	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461561	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461562	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461563	17-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461744	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461745	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461747	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461748	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461749	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461750	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461752	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461753	27-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461769	28-Jul-20	Cum.	6.00

PRISM JOHNSON LTD.	6107461770	28-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461771	28-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461772	28-Jul-20	Cum.	6.50
PRISM JOHNSON LTD.	6107461774	28-Jul-20	Cum.	6.50
PRISM JOHNSON LTD.	6107461794	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461795	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461796	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461797	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461798	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461799	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461800	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461801	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461802	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461803	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461804	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461805	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461808	29-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461815	30-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461816	30-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461817	30-Jul-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461818	30-Jul-20	Cum.	6.50
PRISM JOHNSON LTD.	6107461819	30-Jul-20	Cum.	6.50

ULTRATECH	6914	18-Jul-20	Cum.	6.00
ULTRATECH	6915	18-Jul-20	Cum.	6.00
ULTRATECH	6917	18-Jul-20	Cum.	6.00
ULTRATECH	6918	18-Jul-20	Cum.	6.00
ULTRATECH	2250	18-Jul-20	Cum.	7.00
ULTRATECH	2252	18-Jul-20	Cum.	6.00
ULTRATECH	2553	18-Jul-20	Cum.	7.00
ULTRATECH	6462	18-Jul-20	Cum.	6.00
ULTRATECH	6464	18-Jul-20	Cum.	6.00
ULTRATECH	6465	18-Jul-20	Cum.	3.00
ULTRATECH	6487	19-Jul-20	Cum.	6.00
ULTRATECH	2269	19-Jul-20	Cum.	6.00
ULTRATECH	2270	19-Jul-20	Cum.	6.00
ULTRATECH	6488	19-Jul-20	Cum.	6.00
ULTRATECH	6489	19-Jul-20	Cum.	6.00
ULTRATECH	6492	19-Jul-20	Cum.	6.00
ULTRATECH	2271	19-Jul-20	Cum.	6.00
ULTRATECH	6496	19-Jul-20	Cum.	6.00
ULTRATECH	6497	19-Jul-20	Cum.	6.00
ULTRATECH	6499	19-Jul-20	Cum.	6.00
ULTRATECH	2275	19-Jul-20	Cum.	6.00
ULTRATECH	2278	19-Jul-20	Cum.	6.00

ULTRATECH	2280	19-Jul-20	Cum.	6.00
ULTRATECH	6966	19-Jul-20	Cum.	6.00
ULTRATECH	6967	19-Jul-20	Cum.	6.00
ULTRATECH	6512	19-Jul-20	Cum.	6.00
ULTRATECH	951802341	24-Jul-20	Cum.	4.50
ULTRATECH	951802344	24-Jul-20	Cum.	4.50
ULTRATECH	950706714	24-Jul-20	Cum.	5.00
ULTRATECH	950706718	24-Jul-20	Cum.	4.25
RMC M-30 pur	chased in August'2020			
PRISM JOHNSON LTD.	6107461902	04-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461904	04-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107461906	04-Aug-20	Cum.	6.50
PRISM JOHNSON LTD.	6107461909	04-Aug-20	Cum.	6.50
PRISM JOHNSON LTD.	6107461912	04-Aug-20	Cum.	2.00
PRISM JOHNSON LTD.	6107461934	07-Aug-20	Cum.	4.00
PRISM JOHNSON LTD.	6107461935	07-Aug-20	Cum.	4.00
PRISM JOHNSON LTD.	6107461938	07-Aug-20	Cum.	5.00
PRISM JOHNSON LTD.	6107461939	07-Aug-20	Cum.	4.00
PRISM JOHNSON LTD.	6107461940	07-Aug-20	Cum.	3.00
PRISM JOHNSON LTD.	6107461942	07-Aug-20	Cum.	4.00
PRISM JOHNSON LTD.	6107461943	07-Aug-20	Cum.	3.00
PRISM JOHNSON LTD.	6107461944	07-Aug-20	Cum.	1.00

PRISM JOHNSON LTD.	6107461945	07-Aug-20	Cum.	3.00
PRISM JOHNSON LTD.	6107461947	07-Aug-20	Cum.	2.00
ACC	NS2P062001000919	10-Aug-20	Cum.	6.00
ACC	NS2P062001000920	10-Aug-20	Cum.	6.00
ACC	NS2P062001000921	10-Aug-20	Cum.	6.50
ACC	NS2P062001000922	10-Aug-20	Cum.	6.50
ACC	NS2P062001000923	10-Aug-20	Cum.	6.00
ACC	NS2P062001000924	10-Aug-20	Cum.	6.00
ACC	NS2P062001000925	10-Aug-20	Cum.	6.00
ACC	NS2P062001000926	10-Aug-20	Cum.	6.00
ACC	NS2P062001000927	10-Aug-20	Cum.	6.00
ACC	NS2P062001000928	10-Aug-20	Cum.	6.00
ACC	NS2P062001000929	10-Aug-20	Cum.	3.00
ACC	NS2P062001000942	11-Aug-20	Cum.	6.00
ACC	NS2P062001000945	11-Aug-20	Cum.	6.00
ACC	NS2P062001000946	11-Aug-20	Cum.	6.00
ACC	NS2P062001000947	11-Aug-20	Cum.	6.00
ACC	NS2P062001000948	11-Aug-20	Cum.	6.00
ACC	NS2P062001000949	11-Aug-20	Cum.	6.00
ACC	NS2P062001000950	11-Aug-20	Cum.	6.00
ACC	NS2P062001000951	11-Aug-20	Cum.	6.00
ACC	NS2P062001000952	11-Aug-20	Cum.	6.50

PRISM JOHNSON LTD.	6107462033	13-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462075	16-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462077	16-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462079	16-Aug-20	Cum.	6.00
ULTRATECH	950607883	18-Aug-20	Cum.	6.00
ULTRATECH	950607884	18-Aug-20	Cum.	6.00
ULTRATECH	950607487	18-Aug-20	Cum.	6.00
ULTRATECH	950607490	18-Aug-20	Cum.	6.00
ULTRATECH	950607491	18-Aug-20	Cum.	6.00
ULTRATECH	950607492	18-Aug-20	Cum.	6.00
ULTRATECH	950607493	18-Aug-20	Cum.	3.00
ULTRATECH	950607893	18-Aug-20	Cum.	6.00
ULTRATECH	950607494	18-Aug-20	Cum.	6.00
ULTRATECH	950607901	18-Aug-20	Cum.	2.00
ULTRATECH	7623	24-Aug-20	Cum.	5.00
ULTRATECH	7634	24-Aug-20	Cum.	4.50
ULTRATECH	7639	24-Aug-20	Cum.	4.50
ACC	NS2P06200101102	24-Aug-20	Cum.	5.00
PRISM JOHNSON LTD.	6107462216	26-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462217	26-Aug-20	Cum.	6.00
ULTRATECH	7719	26-Aug-20	Cum.	3.50
PRISM JOHNSON LTD.	6107462228	27-Aug-20	Cum.	6.00

PRISM JOHNSON LTD.	6107462230	27-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462231	27-Aug-20	Cum.	2.00
PRISM JOHNSON LTD.	6107462232	28-Aug-20	Cum.	6.00
ULTRATECH	7768	28-Aug-20	Cum.	4.50
ULTRATECH	7773	28-Aug-20	Cum.	3.50
ULTRATECH	7805	29-Aug-20	Cum.	6.00
ULTRATECH	7807	29-Aug-20	Cum.	6.00
ULTRATECH	7808	29-Aug-20	Cum.	6.00
ULTRATECH	7809	29-Aug-20	Cum.	6.00
ULTRATECH	7810	29-Aug-20	Cum.	6.00
ULTRATECH	7811	29-Aug-20	Cum.	6.00
ULTRATECH	7813	29-Aug-20	Cum.	6.00
ULTRATECH	7814	29-Aug-20	Cum.	6.00
ULTRATECH	7815	29-Aug-20	Cum.	6.00
ULTRATECH	7816	29-Aug-20	Cum.	6.00
ULTRATECH	7819	29-Aug-20	Cum.	6.00
ULTRATECH	7820	29-Aug-20	Cum.	6.00
ULTRATECH	8261	29-Aug-20	Cum.	6.00
ULTRATECH	7824	29-Aug-20	Cum.	6.00
ULTRATECH	7825	29-Aug-20	Cum.	6.00
ULTRATECH	7826	29-Aug-20	Cum.	6.00
ULTRATECH	7828	29-Aug-20	Cum.	6.00

ULTRATECH	7829	29-Aug-20	Cum.	6.00
ULTRATECH	7833	29-Aug-20	Cum.	6.00
ULTRATECH	7835	29-Aug-20	Cum.	6.00
ULTRATECH	7836	29-Aug-20	Cum.	6.00
ULTRATECH	7838	29-Aug-20	Cum.	6.00
ULTRATECH	7839	29-Aug-20	Cum.	6.00
ULTRATECH	7842	29-Aug-20	Cum.	3.00
PRISM JOHNSON LTD.	6107462255	29-Aug-20	Cum.	3.00
PRISM JOHNSON LTD.	6107462258	29-Aug-20	Cum.	3.00
PRISM JOHNSON LTD.	6107462260	29-Aug-20	Cum.	5.00
PRISM JOHNSON LTD.	6107462262	29-Aug-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462264	29-Aug-20	Cum.	5.00
PRISM JOHNSON LTD.	6107462266	29-Aug-20	Cum.	3.00
RMC M-30 pu	urchased in Sep'2020			
PRISM JOHNSON LTD.	6107462485	04-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462488	04-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462490	04-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462495	04-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462525	05-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462526	05-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462527	05-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462531	05-Sep-20	Cum.	5.00

PRISM JOHNSON LTD.	6107462532	05-Sep-20	Cum.	4.00
PRISM JOHNSON LTD.	6107462535	05-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462538	05-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462540	05-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462542	05-Sep-20	Cum.	6.00
PRISM JOHNSON LTD.	6107462651	08-Sep-20	Cum.	5.00
PRISM JOHNSON LTD.	2655	08-Sep-20	Cum.	5.00
PRISM JOHNSON LTD.	2661	08-Sep-20	Cum.	5.00
PRISM JOHNSON LTD.	2664	08-Sep-20	Cum.	5.00
ULTRATECH	8274	12-Sep-20	Cum.	5.00
ULTRATECH	8841	12-Sep-20	Cum.	5.00
ULTRATECH	8264	12-Sep-20	Cum.	5.00
ACC	1477	13-Sep-20	Cum.	6.00
ACC	1478	13-Sep-20	Cum.	6.00
ACC	1479	13-Sep-20	Cum.	6.00
ACC	1480	13-Sep-20	Cum.	6.00
ACC	1481	13-Sep-20	Cum.	6.00
ACC	1482	13-Sep-20	Cum.	6.00
ACC	1483	13-Sep-20	Cum.	6.00
ACC	1484	13-Sep-20	Cum.	6.00
ACC	1500	14-Sep-20	Cum.	5.00
ACC	1502	14-Sep-20	Cum.	5.00

ACC	1503	14-Sep-20	Cum.	5.00
ACC	1504	14-Sep-20	Cum.	5.00
ACC	1505	14-Sep-20	Cum.	5.00
ACC	1506	14-Sep-20	Cum.	5.00
ACC	1507	14-Sep-20	Cum.	5.00
ACC	1508	14-Sep-20	Cum.	6.00
ACC	1509	14-Sep-20	Cum.	6.00
ACC	1510	14-Sep-20	Cum.	5.00
ACC	1511	14-Sep-20	Cum.	6.00
ACC	1512	15-Sep-20	Cum.	6.00
ACC	1514	15-Sep-20	Cum.	6.00
ACC	1515	15-Sep-20	Cum.	5.00
ACC	1516	15-Sep-20	Cum.	6.00
ACC	1519	15-Sep-20	Cum.	6.00
ACC	1517	15-Sep-20	Cum.	6.00
ACC	1513	15-Sep-20	Cum.	5.00
ULTRATECH	9021	15-Sep-20	Cum.	7.00
ULTRATECH	8448	15-Sep-20	Cum.	7.00
ULTRATECH	8449	15-Sep-20	Cum.	7.00
ULTRATECH	8452	15-Sep-20	Cum.	7.00
ULTRATECH	8453	15-Sep-20	Cum.	7.00
ULTRATECH	8454	15-Sep-20	Cum.	7.00

ULTRATECH	8455	15-Sep-20	Cum.	7.00
ULTRATECH	8459	15-Sep-20	Cum.	7.00
Nuvoco	200710014187	16-Sep-20	Cum.	5.00
Nuvoco	200710014199	16-Sep-20	Cum.	5.00
ULTRATECH	950708568	19-Sep-20	Cum.	6.50
ULTRATECH	950708569	19-Sep-20	Cum.	6.00
ULTRATECH	950708571	19-Sep-20	Cum.	6.50
ULTRATECH	950609137	19-Sep-20	Cum.	6.00
ULTRATECH	950708573	19-Sep-20	Cum.	7.00
ULTRATECH	950609138	19-Sep-20	Cum.	6.00
ULTRATECH	950609139	19-Sep-20	Cum.	6.00
ULTRATECH	950708574	19-Sep-20	Cum.	3.00
ULTRATECH	950609141	19-Sep-20	Cum.	6.00
ULTRATECH	951603369	19-Sep-20	Cum.	6.00
ULTRATECH	951603370	19-Sep-20	Cum.	6.00
ULTRATECH	951603371	19-Sep-20	Cum.	6.00
ULTRATECH	950609142	19-Sep-20	Cum.	6.00
ULTRATECH	951603375	19-Sep-20	Cum.	6.00
ULTRATECH	950609143	19-Sep-20	Cum.	6.00
ULTRATECH	951603376	19-Sep-20	Cum.	6.00
ULTRATECH	950609145	19-Sep-20	Cum.	6.00
ULTRATECH	950708576	19-Sep-20	Cum.	6.00

ULTRATECH	951603372	19-Sep-20	Cum.	6.00
ULTRATECH	951603378	19-Sep-20	Cum.	6.00
ULTRATECH	950708580	19-Sep-20	Cum.	6.00
ULTRATECH	951603379	19-Sep-20	Cum.	6.00
ULTRATECH	950609150	19-Sep-20	Cum.	6.00
ULTRATECH	951603381	19-Sep-20	Cum.	6.00
ULTRATECH	951803104	19-Sep-20	Cum.	6.00
ULTRATECH	950609151	19-Sep-20	Cum.	6.00
ULTRATECH	951803105	19-Sep-20	Cum.	6.00
ULTRATECH	950708582	19-Sep-20	Cum.	6.00
ULTRATECH	951603374	19-Sep-20	Cum.	6.00
ULTRATECH	951603380	19-Sep-20	Cum.	6.00
ULTRATECH	950708588	19-Sep-20	Cum.	6.00
ULTRATECH	950609156	20-Sep-20	Cum.	6.00
ULTRATECH	950609157	20-Sep-20	Cum.	6.00
ULTRATECH	950708589	20-Sep-20	Cum.	6.00
ULTRATECH	950708590	20-Sep-20	Cum.	6.00
ULTRATECH	950609158	20-Sep-20	Cum.	6.00
ULTRATECH	950708592	20-Sep-20	Cum.	6.00
ULTRATECH	950708593	20-Sep-20	Cum.	6.00
ULTRATECH	950609159	20-Sep-20	Cum.	6.00
ULTRATECH	950708595	20-Sep-20	Cum.	6.00

ULTRATECH	950708594	20-Sep-20	Cum.	6.00
ULTRATECH	950708596	20-Sep-20	Cum.	6.00
ULTRATECH	950609161	20-Sep-20	Cum.	6.00
ULTRATECH	950708598	20-Sep-20	Cum.	6.00
ULTRATECH	950708600	20-Sep-20	Cum.	6.00
ULTRATECH	950708601	20-Sep-20	Cum.	6.00
ULTRATECH	950708602	20-Sep-20	Cum.	6.00
ULTRATECH	951803108	20-Sep-20	Cum.	6.00
ULTRATECH	950609169	20-Sep-20	Cum.	6.00
ULTRATECH	950708603	20-Sep-20	Cum.	6.00
ULTRATECH	950609109	20-Sep-20	Cum.	6.00
ULTRATECH	950609170	20-Sep-20	Cum.	6.00
ULTRATECH	950708607	20-Sep-20	Cum.	6.00
ULTRATECH	950708608	20-Sep-20	Cum.	6.00
ULTRATECH	950708609	20-Sep-20	Cum.	6.00
ULTRATECH	950708610	20-Sep-20	Cum.	6.00
ULTRATECH	951603384	20-Sep-20	Cum.	6.00
ULTRATECH	950708612	20-Sep-20	Cum.	6.00
ULTRATECH	950708613	20-Sep-20	Cum.	6.00
ULTRATECH	950708614	20-Sep-20	Cum.	6.00
ULTRATECH	950708615	20-Sep-20	Cum.	6.00
ULTRATECH	951603386	20-Sep-20	Cum.	6.00

ULTRATECH	950708616	20-Sep-20	Cum.	6.00
ULTRATECH	951603387	20-Sep-20	Cum.	6.00
ULTRATECH	951603388	20-Sep-20	Cum.	6.00
ULTRATECH	950708618	20-Sep-20	Cum.	6.00
ULTRATECH	950609177	20-Sep-20	Cum.	6.00
ULTRATECH	950708619	20-Sep-20	Cum.	6.00
ULTRATECH	950609179	20-Sep-20	Cum.	6.00
ULTRATECH	950708620	20-Sep-20	Cum.	6.00
ULTRATECH	950609180	20-Sep-20	Cum.	6.00
ULTRATECH	951603389	20-Sep-20	Cum.	6.00
ULTRATECH	950708621	20-Sep-20	Cum.	6.00
ULTRATECH	950708622	20-Sep-20	Cum.	6.00
ULTRATECH	950708623	20-Sep-20	Cum.	6.00
ULTRATECH	950708624	20-Sep-20	Cum.	6.00
ULTRATECH	950708625	20-Sep-20	Cum.	6.00
ULTRATECH	950708626	20-Sep-20	Cum.	6.00
ULTRATECH	950708628	20-Sep-20	Cum.	6.00
ULTRATECH	950708629	20-Sep-20	Cum.	6.00
ULTRATECH	950708630	20-Sep-20	Cum.	6.00
ULTRATECH	950708636	20-Sep-20	Cum.	6.00
ULTRATECH	950609190	20-Sep-20	Cum.	6.00
ULTRATECH	950708637	20-Sep-20	Cum.	6.00

ULTRATECH	950708638	20-Sep-20	Cum.	6.00
ULTRATECH	950708640	20-Sep-20	Cum.	6.00
ULTRATECH	950708642	20-Sep-20	Cum.	6.00
ULTRATECH	950609192	20-Sep-20	Cum.	6.00
ULTRATECH	950708643	20-Sep-20	Cum.	6.00
ULTRATECH	950609193	20-Sep-20	Cum.	6.00
ULTRATECH	950708645	20-Sep-20	Cum.	6.00
ULTRATECH	950708646	20-Sep-20	Cum.	6.00
ULTRATECH	950708647	20-Sep-20	Cum.	6.00
ULTRATECH	950708649	20-Sep-20	Cum.	6.00
ULTRATECH	950708651	20-Sep-20	Cum.	6.00
ULTRATECH	950609199	20-Sep-20	Cum.	6.00
ULTRATECH	950708652	20-Sep-20	Cum.	6.00
ULTRATECH	950609200	20-Sep-20	Cum.	6.00
ULTRATECH	950708653	20-Sep-20	Cum.	6.00
ULTRATECH	950708654	20-Sep-20	Cum.	6.00
ULTRATECH	950609201	20-Sep-20	Cum.	6.00
ULTRATECH	950609202	20-Sep-20	Cum.	6.00
ULTRATECH	950708656	20-Sep-20	Cum.	6.00
ULTRATECH	950708657	20-Sep-20	Cum.	6.00
ULTRATECH	950708658	20-Sep-20	Cum.	6.00
ULTRATECH	950708659	20-Sep-20	Cum.	6.00

ULTRATECH	950708660	20-Sep-20	Cum.	6.00
ULTRATECH	950609205	20-Sep-20	Cum.	6.00
ULTRATECH	950708662	20-Sep-20	Cum.	6.00
ULTRATECH	950708663	20-Sep-20	Cum.	6.00
ULTRATECH	950708664	20-Sep-20	Cum.	6.00
ULTRATECH	950708665	20-Sep-20	Cum.	6.00
ULTRATECH	950708666	21-Sep-20	Cum.	6.00
ULTRATECH	950708667	21-Sep-20	Cum.	6.00
ULTRATECH	950708668	21-Sep-20	Cum.	6.00
ULTRATECH	950708669	21-Sep-20	Cum.	6.00
ULTRATECH	950708670	21-Sep-20	Cum.	6.00
ULTRATECH	950708671	21-Sep-20	Cum.	6.00
ULTRATECH	950708672	21-Sep-20	Cum.	6.00
ULTRATECH	950708673	21-Sep-20	Cum.	6.00
ULTRATECH	950708674	21-Sep-20	Cum.	6.00
ULTRATECH	950708675	21-Sep-20	Cum.	6.00
ULTRATECH	950708676	21-Sep-20	Cum.	6.00
ULTRATECH	950708677	21-Sep-20	Cum.	6.00
ULTRATECH	950609213	21-Sep-20	Cum.	6.00
ULTRATECH	950708678	21-Sep-20	Cum.	6.00
ULTRATECH	950708680	21-Sep-20	Cum.	6.00
ULTRATECH	950708686	21-Sep-20	Cum.	6.00

Nuvoco	Nuvoco 200710014605		Cum.	5.50
Nuvoco	200710014619	19-Sep-20	Cum.	7.00
Nuvoco	200710014620	19-Sep-20	Cum.	6.00
Nuvoco	200710014621	19-Sep-20	Cum.	7.00
Nuvoco	200710014623	19-Sep-20	Cum.	6.00
Nuvoco	200710014626	19-Sep-20	Cum.	6.00
Nuvoco	200710014650	19-Sep-20	Cum.	6.00
Nuvoco	200710014651	19-Sep-20	Cum.	6.00
Nuvoco	200710014659	19-Sep-20	Cum.	6.00
Nuvoco	200710014663	19-Sep-20	Cum.	6.00
Nuvoco	200710014660	19-Sep-20	Cum.	6.00
Nuvoco	200710014661	19-Sep-20	Cum.	6.00
Nuvoco	200710014654	19-Sep-20	Cum.	6.00
Nuvoco	200710014657	19-Sep-20	Cum.	6.00
Nuvoco	200710014658	19-Sep-20	Cum.	6.00
Nuvoco	200710014662	19-Sep-20	Cum.	6.00
Nuvoco	200710014664	19-Sep-20	Cum.	6.00
Nuvoco	200710014665	20-Sep-20	Cum.	6.00
Nuvoco	200710014666	20-Sep-20	Cum.	6.00
Nuvoco	200710014667	20-Sep-20	Cum.	6.00
Nuvoco	200710014668	20-Sep-20	Cum.	6.00
Nuvoco	200710014669	20-Sep-20	Cum.	6.00

Nuvoco	Nuvoco 200710014670		Cum.	6.00
Nuvoco	200710014671	20-Sep-20	Cum.	6.00
Nuvoco	200710014672	20-Sep-20	Cum.	6.00
Nuvoco	200710014673	20-Sep-20	Cum.	6.00
Nuvoco	200710014674	20-Sep-20	Cum.	6.00
Nuvoco	200710014676	20-Sep-20	Cum.	6.00
Nuvoco	200710014678	20-Sep-20	Cum.	6.00
Nuvoco	200710014680	20-Sep-20	Cum.	6.00
Nuvoco	200710014681	20-Sep-20	Cum.	6.00
Nuvoco	200710014684	20-Sep-20	Cum.	6.00
Nuvoco	200710014686	20-Sep-20	Cum.	6.00
Nuvoco	200710014688	20-Sep-20	Cum.	6.00
Nuvoco	200710014696	20-Sep-20	Cum.	6.00
Nuvoco	Nuvoco 200710014698 Nuvoco 200710014703		20-Sep-20 Cum.	6.00
Nuvoco			Cum.	6.00
Nuvoco	200710014704	20-Sep-20	Cum.	6.00
Nuvoco	200710014706	20-Sep-20	Cum.	6.00
Nuvoco	200710014707	20-Sep-20	Cum.	6.00
Nuvoco	200710014709	20-Sep-20	Cum.	6.00
Nuvoco	200710014712	20-Sep-20	Cum.	6.00
Nuvoco	200710014717	20-Sep-20	Cum.	6.00
Nuvoco	200710014724	20-Sep-20	Cum.	6.00

Nuvoco	Nuvoco 200710014730		Cum.	6.00
Nuvoco	200710014732	20-Sep-20	Cum.	6.00
Nuvoco	200710014738	20-Sep-20	Cum.	6.00
Nuvoco	200710014745	20-Sep-20	Cum.	6.00
Nuvoco	200710014748	20-Sep-20	Cum.	6.00
Nuvoco	200710014759	20-Sep-20	Cum.	6.00
Nuvoco	200710014765	20-Sep-20	Cum.	6.00
Nuvoco	200710014769	20-Sep-20	Cum.	6.00
Nuvoco	200710014776	20-Sep-20	Cum.	6.00
Nuvoco	200710014778	20-Sep-20	Cum.	6.00
Nuvoco	200710014779	20-Sep-20	Cum.	6.00
Nuvoco	200710014781	20-Sep-20	Cum.	6.00
Nuvoco	200710014782	20-Sep-20	Cum.	6.00
Nuvoco	Nuvoco 200710014786		Cum.	6.00
Nuvoco	Nuvoco 200710014805		Cum.	6.00
Nuvoco	200710014810	20-Sep-20	Cum.	6.00
Nuvoco	200710014811	20-Sep-20	Cum.	6.00
Nuvoco	200710014812	20-Sep-20	Cum.	6.00
Nuvoco	200710014813	20-Sep-20	Cum.	6.00
ACC	NS2P062001001626	23-Sep-20	Cum.	5.00
ACC	NS2P062001001630	23-Sep-20	Cum.	4.00
ACC	NS2P062001001639	24-Sep-20	Cum.	2.00

ACC	NS2P062001001650	24-Sep-20	Cum.	6.00
ACC	NS2P062001001653	24-Sep-20	Cum.	6.00
ACC	NS2P062001001656	24-Sep-20	Cum.	6.00
ACC	NS2P062001001658	24-Sep-20	Cum.	6.00
ACC	NS2P062001001661	24-Sep-20	Cum.	6.00
ACC	NS2P062001001663	24-Sep-20	Cum.	6.00
ACC NS2P062001001664 2		24-Sep-20	Cum.	6.00
ACC NS2P062001001666 24-Sep-20				6.00
TOTAL QUANTITY OF M 30				3080.50

Name of Project : Asthetic Township Developers Private Limited

RMC M-35 Purchased

Sr. Nos.	VENDOR'S NAME	Invoice NO.	Invoice DATE	иом	QTY.
	RMC M-35 purchase	d in Sep'2020			
1	ULTRATECH	950707938	01-Sep-20	Cum.	6.00
2	ULTRATECH	950707940	01-Sep-20	Cum.	6.00
3	ULTRATECH	951603035	01-Sep-20	Cum.	6.00
4	ULTRATECH	950707944	01-Sep-20	Cum.	6.00
5	ULTRATECH	950707945	01-Sep-20	Cum.	6.00
6	ULTRATECH	950707946	01-Sep-20	Cum.	6.00
7	ULTRATECH	950608417	01-Sep-20	Cum.	6.00
8	ULTRATECH	950707948	01-Sep-20	Cum.	6.00
9	ULTRATECH	950608418	01-Sep-20	Cum.	6.00
10	ULTRATECH	950608421	02-Sep-20	Cum.	6.00
11	ULTRATECH	950608422	02-Sep-20	Cum.	6.00
12	ULTRATECH	950707951	02-Sep-20	Cum.	6.00
13	ULTRATECH	950707952	02-Sep-20	Cum.	6.00
14	ULTRATECH	950707953	02-Sep-20	Cum.	6.00
15	ULTRATECH	950608424	02-Sep-20	Cum.	6.00
16	ULTRATECH	950707954	02-Sep-20	Cum.	6.00
17	ULTRATECH	950608425	02-Sep-20	Cum.	6.00
18	ULTRATECH	950608426	02-Sep-20	Cum.	6.00
19	ULTRATECH	950608428	02-Sep-20	Cum.	6.00
20	ULTRATECH	950608429	02-Sep-20	Cum.	6.00

	TOTAL QUANTITY OF M				406.00
69	PRISM JOHNSON LTD.	6107463299	27-Sep-20	Cum.	6.00
68	PRISM JOHNSON LTD.	6107463296	27-Sep-20	Cum.	6.00
67	PRISM JOHNSON LTD.	6107463295	27-Sep-20	Cum.	6.00
66	PRISM JOHNSON LTD.	6107463294	27-Sep-20	Cum.	6.00
65	PRISM JOHNSON LTD.	6107463292	27-Sep-20	Cum.	6.00
64	PRISM JOHNSON LTD.	6107463291	27-Sep-20	Cum.	5.00
63	ACC	NS2P062001001748	27-Sep-20	Cum.	6.00
62	ACC	NS2P062001001744	27-Sep-20	Cum.	6.00
61	ACC	NS2P062001001742	27-Sep-20	Cum.	6.00
60	ACC	NS2P062001001741	27-Sep-20	Cum.	6.00
59	ACC	NS2P062001001740	27-Sep-20	Cum.	6.00
58	ACC	NS2P062001001739	27-Sep-20	Cum.	6.00
57	ACC	NS2P062001001738	27-Sep-20	Cum.	6.00
56	ACC	NS2P062001001737	27-Sep-20	Cum.	6.00
55	ACC	NS2P062001001736	27-Sep-20	Cum.	6.00
54	ACC	NS2P062001001734	27-Sep-20	Cum.	6.00
53	ACC	NS2P062001001733	27-Sep-20	Cum.	6.00
52	ACC	NS2P062001001732	27-Sep-20	Cum.	6.00
51	ACC	NS2P062001001731	27-Sep-20	Cum.	6.00
50	ACC	NS2P062001001730	27-Sep-20	Cum.	6.00
49	ACC	NS2P062001001729	27-Sep-20	Cum.	6.00
48	ACC	NS2P062001001728	27-Sep-20	Cum.	6.00
47	ACC	NS2P062001001727	27-Sep-20	Cum.	6.00
46	ACC	NS2P062001001726	27-Sep-20	Cum.	6.00
45	ACC	NS2P062001001725	27-Sep-20	Cum.	6.00
44	ACC	NS2P062001001724	27-Sep-20	Cum.	6.00
43	ACC	NS2P062001001723	27-Sep-20	Cum.	6.00
42	ACC	NS2P062001001722	27-Sep-20	Cum.	6.00
41	ACC	NS2P062001001721	27-Sep-20	Cum.	6.00
40	ACC	NS2P062001001720	27-Sep-20	Cum.	6.00
39	ACC	NS2P062001001719	27-Sep-20	Cum.	6.00
38	ACC	NS2P062001001717	27-Sep-20	Cum.	6.00
37	ACC	NS2P062001001716	27-Sep-20	Cum.	6.00
36	ULTRATECH	8917	12-Sep-20	Cum.	6.00
35	ULTRATECH	3239	12-Sep-20	Cum.	6.00
34	ULTRATECH	8912	12-Sep-20	Cum.	6.00
33	ULTRATECH	950707989	03-Sep-20	Cum.	4.00
32	ULTRATECH	950707986	02-Sep-20	Cum.	6.00
31	ULTRATECH	950707983	02-Sep-20	Cum.	6.00
30	ULTRATECH	950707980	02-Sep-20	Cum.	6.00
29	ULTRATECH	950707979	02-Sep-20	Cum.	6.00
28	ULTRATECH	950707971	02-Sep-20	Cum.	6.00
27	ULTRATECH	950707965	02-Sep-20	Cum.	1.00
26	ULTRATECH	950707960	02-Sep-20	Cum.	6.00
25	ULTRATECH	950707958	02-Sep-20	Cum.	6.00
24	ULTRATECH	951802807	02-Sep-20	Cum.	6.00
23	ULTRATECH	951603040	02-Sep-20	Cum.	6.00
22	ULTRATECH	950707956	02-Sep-20	Cum.	6.00
21	ULTRATECH	950707955	02-Sep-20	Cum.	6.00

Name of Project : Asthetic Township Developers Private Limited

RMC M-40 Purchased

Sr. Nos.	VENDOR'S NAME	Invoice NO.	Invoice DATE	UOM	QTY.
	RMC M-40 purchased	in Aug'2020			
	ULTRATECH	7817	29-Aug-20	Cum.	5.00
	ULTRATECH	7818	29-Aug-20	Cum.	5.00
	ULTRATECH	7823	29-Aug-20	Cum.	3.50
	TOTAL QUANTITY OF M 40				13.50

Name of Project : Asthetic Township Developers Private Limited

RMC M-60 Purchased

Sr. Nos.	VENDOR'S NAME I Invoice		Invoice DATE	UOM	QTY.
	RMC M-60 purchase	ed in July'2020			
1	ACC	NS2P062001000455	02-Jul-20	Cum.	3.00
2	ACC	NS2P062001000471	04-Jul-20	Cum.	4.50
3	ACC	NS2P062001000494	06-Jul-20	Cum.	3.00
4	PRISM JOHNSON LTD.	6107461746	27-Jul-20	Cum.	3.00
5	PRISM JOHNSON LTD.	6107461768	28-Jul-20	Cum.	3.00
6	PRISM JOHNSON LTD.	6107461782	28-Jul-20	Cum.	5.00
7	PRISM JOHNSON LTD.	6107461823	30-Jul-20	Cum.	5.00
8	PRISM JOHNSON LTD.	6107461824	30-Jul-20	Cum.	5.00
9	PRISM JOHNSON LTD.	6107461825	30-Jul-20	Cum.	4.00
10	ULTRATECH	950706740	25-Jul-20	Cum.	5.00
11	ULTRATECH	950706746	25-Jul-20	Cum.	5.00
12	ULTRATECH	950706750	25-Jul-20	Cum.	2.50

RMC M-60 purchase	ed in Aug'2020				
PRISM JOHNSON LTD.	6107461888	02-Aug-20	Cum.	5.00	
PRISM JOHNSON LTD.	6107461890	02-Aug-20	Cum.	5.00	
PRISM JOHNSON LTD.	6107461892	02-Aug-20	Cum.	3.00	
PRISM JOHNSON LTD.	6107461900	04-Aug-20	Cum.	3.00	
PRISM JOHNSON LTD.	6107461914	05-Aug-20	Cum.	5.00	
PRISM JOHNSON LTD.	6107461915	05-Aug-20	Cum.	5.00	
PRISM JOHNSON LTD.	6107461917	05-Aug-20	Cum.	2.00	
PRISM JOHNSON LTD.	6107462087	17-Aug-20	Cum.	5.00	
PRISM JOHNSON LTD.	6107462089	17-Aug-20	Cum.	5.00	
PRISM JOHNSON LTD.	61074620790	17-Aug-20	Cum.	5.00	
PRISM JOHNSON LTD.	6107462091	17-Aug-20 Cum.		4.25	
ULTRATECH	8140	26-Aug-20	Cum.	3.50	
ULTRATECH	8143	26-Aug-20	Cum.	3.00	
RMC M-30 purchase	ed in Sep'2020				
ULTRATECH	950707935	01-Sep-20	Cum.	6.00	
ULTRATECH	950707937	01-Sep-20	Cum.	6.00	
ULTRATECH	950707943	01-Sep-20	Cum.	6.00	
ULTRATECH	950707950	02-Sep-20	Cum.	6.00	
ULTRATECH	950707957	02-Sep-20	Cum.	6.00	
ULTRATECH	950608438	02-Sep-20	Cum.	6.00	
ULTRATECH	950608449	02-Sep-20	Cum.	6.00	

ULTRATECH	950608480	03-Sep-20	Cum.	4.00
ULTRATECH	950608486	03-Sep-20	Cum.	4.00
ULTRATECH	950608496	03-Sep-20	Cum.	5.00
ULTRATECH	8685	08-Sep-20	Cum.	4.00
ULTRATECH	8697	08-Sep-20	Cum.	4.50
ULTRATECH	8747	09-Sep-20	Cum.	4.00
ULTRATECH	8752	09-Sep-20	Cum.	3.50
ULTRATECH	8903	12-Sep-20 Cum.	5.00	
ULTRATECH	8914	12-Sep-20	Cum.	4.00
ACC	NS2P062001001635	24-Sep-20	Cum.	5.00
ACC	NS2P062001001711	26-Sep-20	Cum.	6.00
ACC	NS2P062001001713	26-Sep-20	Cum.	6.00
ACC	NS2P062001001714	27-Sep-20	Cum.	6.00
ACC	NS2P062001001735	27-Sep-20	Cum.	6.00
ACC	NS2P062001001743	27-Sep-20	Cum.	4.00
TOTAL QUANTITY OF M 60				214.75

Name of Project : Asthetic Township Developers Private Limited

RMC M-5 Purchased

Sr. Nos.	VENDOR'S NAME	Invoice NO.	Invoice DATE	UOM	QТΥ.
	RMC M-05 purch				

			7	i	
1	ACC	NS2P062001000495	06-Jul-20	Cum.	6.50
2	ACC	NS2P062001000496	06-Jul-20	Cum.	6.00
3	ACC	NS2P062001000529	08-Jul-20	Cum.	6.00
4	ACC	NS2P062001000531	09-Jul-20	Cum.	6.00
5	ACC	NS2P062001000532	09-Jul-20	Cum.	5.00
6	ACC	NS2P062001000748	26-Jul-20	Cum.	5.00
				Cum.	
7	PRISM JOHNSON LTD.	6107461952	08-Aug-20	Cum.	6.00
8	PRISM JOHNSON LTD.	6107461953	08-Aug-20	Cum.	6.00
9	PRISM JOHNSON LTD.	6107461954	08-Aug-20	Cum.	6.00
10	PRISM JOHNSON LTD.	6107461955	08-Aug-20	Cum.	6.00
11	PRISM JOHNSON LTD.	6107461956	08-Aug-20	Cum.	6.50
12	PRISM JOHNSON LTD.	6107461957	08-Aug-20	Cum.	3.00
13	ACC	1485	13-Sep-20	Cum.	6.00
1	ULTRATECH	950708528	18-Sep-20	Cum.	3.50
2	ACC	NS2P062001001665	24-Sep-20	Cum.	6.00
3	ACC	NS2P062001001747	27-Sep-20	Cum.	5.00
4	ACC	NS2P062001001754	27-Sep-20	Cum.	4.00
5	ACC	NS2P062001001759	28-Sep-20	Cum.	3.00
6	Nuvoco	200710015903	28-Sep-20	Cum.	5.00
7	Nuvoco	200710016594	30-Sep-20	Cum.	6.00
8	Nuvoco	200710016705	30-Sep-20	Cum.	6.00
					112.50

Annexure-XIX Diesel Bill

I NO: 06071822110 GST-_06AFDPD3568G1ZO

BILL/INVOICE

PH-0124-2572744 MOB -8750037826

SHAHEED RAMPHAL KAJLA FILLING STATION DEALER- INDIAN OIL CORPORATION LIMITED

NEAR- IFFCO CHOWK METRO STATION, SECTOR-29, GURUGRAM, HARYANA HSN CODE : MS : 2710 12 19*/ HSD: 2710 19 30*/HSD- BS VI

BILL NO.592

DATED : 31/07/2020

S. S. CONSTRUCTION CO.

RAM KRISHAN HOUSE, NEAR- MLA TEJ PAL

TANWAR KOTHI, VILL- RAMGARH

P.O- BADSHAHPUR, GURGAON

PAN#: AEFPS1460P

BILLING PERIOD : FROM 01/07/2020 TO 31/07/2020

PAGE NO.: 1

PARTICULARS	QUANTITY	RATE	TRUOMA
			ANOUNT
HSD	400.000	72 05	
HSD		73.85	29540.00
V	800.000	73.98	59184.00

TOTAL AMOUNT

88724.00

BILL AMOUNT

OTAL SLIP : 3

NET PAYABLE AMOUNT

S. 88724.00

EIGHTY EIGHT THOUSAND SEVEN HUNDRED TWENTY FOUR ONLY)

TERMS & CONDITIONS

LALEREST 24% WILL BE CHARGED IF THE PAYMENT IS NOT MADE WITHIN 7 DAYS FROM THE DATE OF BILL.

GOODS ONCE SOLD WILL NOT BE TAKEN BACK.

INTEREST 5% WILL BE CHARGED IF CHEQUE WILL BE BOUNCED.

BANK DETAILS:

K NAME: HDFC BANK LTD.

NO.: 17208730000014

: HDFC0001720

ICH: SECTOR-29, GURUGRAM

FOR SHAHEED RAMPHAL KAJLA FILLING STATION

AUTHORISED SIGN.

SHAHEED RAMPHAL KAJLA FILLING STATION CHIT DETAIL

FROM DATE 01/08/2020 TO DATE 15/08/2020

P-1 PRINTDATE 17/08/2020 10:34:16 AM

S. CONSTRUCTION CO.

DATE CHIT NO	VEHICLENO OWNER	SH PDL ITEM	QUANTITY	RATE AMOUI	NT BILL
08/2020 29067	DRUM	1 HSD	400.000.	74.03 29612	.00
08/2020 29068	DRAM	1 HSD	400.000,	74.03 29612	.00
08/2020 29069	DRUM	1 HSD	400.000 -	74.03 29612	.00
08/2020 29070	DRUM	1 HSD	400.000	74.03 29612	
08/2020 29071	DRUM	1 HSD	400.000	74.03 29612	.00
SLIPS : 5				148060.	
) TOTAL :				148060.	00

chedied

3

SHAHEED RAMPHAL KAJLA FILLING STATION CHIT DETAIL

FROM DATE 16/08/2020 TO DATE 31/08/2020

P-1 PRINTDATE 01/09/2020 11:01:18 AM

s s CONSTRUCTION CO.

S. S. CONSTRUC	CTION CO.			 	 		AMOUNT	BILL
CHIT DATE CHIT NO	VEHICLENO OWNER	SI	H PDL ITEM	*	 QUANTITY	RATE	AMOUNI	
16/08/2020 29072 18/08/2020 29073 20/08/2020 29074 22/08/2020 29075 25/08/2020 29076 27/08/2020 29077 TOTAL SLIPS : 6	DRAM DRUM DRUM DRUM DRUM DRUM		1 HSD		400.000 400.000 400.000 400.000 400.000	74.03 74.03 74.03 74.03 74.03	29612.00 29612.00 29612.00 29612.00 29612.00 29612.00 	
GRAND TOTAL :		•						

CHIT DETAIL

FROM DATE 01/09/2020 TO DATE 15/09/2020 P-1 PRINTDATE 16/09/2020 11:29:19 AM

S. CONSTRUCTION CO.

r date	CHIT NO	VEHICLENO O	WNER	SH PDL ITEM	*	QUANTITY	RATE AMOUNT BILL
/09/20:	20 29078	DRUM		1 HSD	э ,	200.000 /	74.03 14806.00
/09/20	20 29079	0340		1 MS	# 1e =	20.000 /	80.23 1604.60
/09/202	20 29080	DRUM		1 HSD		200.000 €	73.74 14748.00
/09/202	20 29081	DRUM		1 HSD	7	400.000	73.63 29452.00
/09/202	20 29082	DRUM		1 HSD		400.000 €	73.52 29408.00
/09/202	20 29083		3 4	1 MS	* * *	17.880 €	80.15 1433.08
/09/202	20 29084	DRUM	14129 N	1 HSD		400.000	73.03 29212.00
i v			8 8		s e e e		
L SLIF	PS : 7						120663.68
	* 18.5						
ATOT CI	L:		1				120663.68
						- E	

əts O.....ngi S

SS CONSTRUCTION CO

Date 7/0/9000

19/9/20

CHIT DETAIL

FROM DATE 16/09/2020 TO DATE 30/09/2020

P-1 PRINTDATE 01/10/2020 11:03:24 AM

S. S. CONSTRUCTION CO.

CHIT DATE CHIT NO	VEHICLENO OWNER	SH PDL	ITEM		,	QUANTITY	RATE	AMOUNT B
19/09/2020 29085	DRUM	1	HSD			400.000 <	72.29	28916.00
23/09/2020 29086	DRUM	1	HSD			400.000	71.77	28708.00
27/09/2020 29087	DRUM	1	HSD	** ** **	27	400.000	71.29	28516.00
30/09/2020 29088	0340	1	MS			15.000	79.24	1188.60
		н и						
TOTAL SLIPS : 4					*)			87328.60
w ¹					η π			
GRAND TOTAL :	g and a company							87328.60
		* * *						

SS CC' STRUCTION CO.

Date 10 ACGEPTED

Sign 1-10 990

SHAHEED RAMPHAL KAJLA FILLING STATION CHIT DETAIL

FROM DATE 01/10/2020 TO DATE 15/10/2020

P-1 PRINTDATE 16/10/2020 11:54:59 AM

CONSTRUCTION CO.

	ATT DATE	CHIT NO	VEHICLEN	O OWNER	SH	PDL ITEM			QUANTITY	RATE	AMOUNT I	BIL
	01/10/202	0 29089	DRUM			1 HSD			400.000	71.17	28468.00	
	05/10/202	0 29090	DRUM	; · · · .	, ,	1 HSD			400.000	71.12	28448.00	
	10/10/202	0 29091	DRUM	,		1 HSD	9		400.000	71.12	28448.00	
								4		:		
**	O'cho SLEPS	8 : 3					. 200	•			85364.00	
G	RAND TOTAL	G ;	. *				e ·		4.		85364.00	
	* x						a ^a R a	2 B 2				



Annexure-XX Copy of C&D Waste





	Name of Owner: Address: Seesh	S.S. Const	rychon Co	mpany M Q - 27	PGAO Sed
	Description		Rate	Amount	ر م
	Area/Plot (Sq. Mtr.)			Surrount	
	No. of Floor		 	-	. ↓
F	Total Built up Area (Sq. Mtr.)			
		New	@ 50 Kg/ Sqm.		
	C&D Waste Quantity	Construction	0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	NH	
		Repair	@ 45 Kg/ Sqm.		
		Demolition	@'400'Kg//Sqm;		
	Total Quantity		S SS S SINIT		
	- C&D Waste (in Kg)	Soon			
	C&D Waste Generate	e (in Tonne)			
	Rate for Lifting C&D	Segregated	@ 3'60% M,T.		
	Waste	Unsegregated	@ 720/ M.T.		7. v 1.
	Assessment Amount		Penalty (+)	3600/-	
n	Penalty 100% of Assessr	ment Amount	1.Chany (F)		
			l Amount (in Rs.)		
	Phoce thousa		······································	3600/-	
	Note:-	ind Sjx	hundred	Ryperes	@10
			D waste to be gener	. , ,	
	Thic ic amount i				

Payable in C&D waste subhead at MCG office Tower C-1 Building, 1st Floor Info City Sector-34, Gurugram, Old Committee office in front of Civil Hospital, CFC Branch and Community Centre Sector-42, MCG office Zone-III.

Contact: 700 567 4475

i jangsan samalang pangsan 24		-		int states were provided	
Cheque	For (Rs.) Total (Rs.) Rupees (i	State Favouring	For DD / PO on Taluk	Received from PAN No.	—Canara Bank
ie	For (Rs.) Total (Rs.) Rupees (in words)	TANK I	PO on	from	Bank
2	130	HOLE	District		
	(RS.)	Tado Car	thy to	Pale	7
		Sub Sub	meth	2/2/2	
		R F I		- 4	

			1
	Rup of For	Taluk State Favou	Rec Bra
Cheque Cash	DIVISH For (Rs.) Total (Rs.) Rupees (in	For DD/PO Taluk State Favouring	Canara Branch Received
ue .	(în v	1-10	Canara Bank Branch See Branch From Received from PAN No.
Cas	DIUSIDA For (Rs.) Total (Rs.) Rupees (in words)	3 6 9	l la C
Cashier	T Salant Ho		De
124	THE STATE OF THE S	2 2	
		District	
3	SE MA	1	D
Manager	S A		Date
/ še		2	
*		200	100
	1-1-1 5	3 7	19/200
	S	1	P

रसीद

司刊 : S.S CONSTRUCTION COMPANY

पता : SUSHANT LOK B BLOCK, HQ-27, SECTOR 27, GURUGRAM गुरुग्राम नगर निगम कार्यालय गुरुग्राम।

निम्न खाते में जमा करने के लिए नगद वसूल पाया



8	586.77		
8	10000		
	822 6		
-	- in		
å	Lord No.		
3	22.00		
-	20		
3			
3	335		
	(40)		
7	200		
2	10.00		
1			
1			
1			
ч			
п			
ı			
1			
1			
1			
1			
1			
1			
1			
1			
1			41
١			\sim
1			रसीद नं:
			10.
ı			$-\boldsymbol{\nu}$
			ਕ
ı			Ω
ı			- 1
ı			
ı			01
ı			41
ı			٦.
ı			
1			
1			
1			12
1			
1			-
1			CII
1			•
1			C
1			~.
J			CO
٦			-
1			\circ
1			_
1			
١			-
1			1553075
1			U I
J			
1			
ı			
1			
1			
1			15
1			
1			

अदायगी की तिथि/समय: 03/11/2020 02:22 PM

130-50

करदाता का खाता नं./बिल नं./नोटिस नं. व:

AccountNo:130-50

जाइ अदायना का लियासमयः 03/11/2020 02:22 PM Payment made by cheque is subject to realization MUHICIPAL CORPORATION GURUGRAM (In words: Three The CCS:CFC1,MEMO NO: JC/HQ/MCG/2020/1217 ON DATED: 03-11-2020 C & D WASTE TOTAL QUANTITY IN KG: 5000 KG,Ref.ID2: PermitsPro,Mob.:8527209087,

जोड़ =

Construction Demulation Waste Income

अदायगी का विवरण

रकम/रुपये. पैसे

3600.00

(In words: Three Thousand Six Hundred) 3600.00

्रि स्पेर जारी करने वाले के हस्ताक्षर Parmod Kumar

From G-8 Rule-IV

नाम : S.S. CONSTRUCTION COMPANY

पता : H.S-27, SEC-27, SUSHANT LOK-1, B BLOCK, GGN गुरुग्राम नगर निगम कार्यालय गुरुग्राम|

निम्न खाते में जमा करने के लिए नगद वसूल पाया।

रसीद नं.: 1527559

करदाता का खाता नं./बिल नं./नोटिस नं. वः	अदायगी का विवरण	x x x
130-50		रकम/रुपये. पैसे
	Construction Demulation Waste Income	3600.00

अदायगी की तिथि/समय: 13/10/2020 12:18 PM

3600.00

Payment made by cheque is subject to realization MUNICIPAL CORPORATION GURUGRAM (In words: Three The CCS:CFC1,JC/HQ/MCG/2020/1217 ON DATED:09/10/2020, TOTAL QUANTITY C&D WASTE IN 5000 KG, Ref. ID2: PermitsPro, Mob.:7836867630, AccountNo:130-50

(In words: Three Thousand Six Hundred)

रसीद जारी करने वाले किस्ताक्षर Manjeet Chauhan

From G-8 Rule

ंपता

नाम ::S'S CONSTRUCTION COMPANY पता ::Q'S - 27 / SUSHANT LOK B BLOCK, SECTOR 27 G गुरुग्राम नगर निगम कासीलय गुरुग्राम निम्न खाते में नुमाःकरने के लिए नगदावसूल पाया

रसीद नं.: 1558275

करदाता का खाता न बिल न नोटिस न व	अद्वायमी को विवरण	रकम/रुपये. पैसे
130-50	Construction Demulation Waste Income	

3600.00

अदायगी की विथि/समय् | 24/11/2020 02:16 PM Payment made by thegue is subject to realization

(In words: Three Thousand Six Hundred)

CCS:CFC1, MEMO:NO: JC/HQ/MCG/2020/1217 DATED: 24:11-2020 08 Mob.:8527209087, AccountNo:130-50

सींद जारी क्रुने वाले के हस्ताक्षर Parmod Kumar